

ens
at

**SOFTWARE AND METHOD FOR AUTOMATICALLY FETCHING DESIRED DATA
FROM EACH OF A PLURALITY OF INDEPENDENTLY-OPERATED DATA
SOURCES**

LIST OF RELATED APPLICATIONS

This is a combined Continuation of U.S. Appln. Serial No. 08/641,010, filed on April 29, 1996, and entitled "COMPUTER-IMPLEMENTED TRANSPORT OF ELECTRONIC INFORMATION OBJECTS," which is a Continuation-in-Part of U.S. Appln. Serial No. 08/251,724, filed on May 31, 1994, and entitled "SYSTEM FOR AUTOMATIC UNATTENDED ELECTRONIC INFORMATION TRANSPORT BETWEEN A SERVER AND A CLIENT BY A VENDOR PROVIDED TRANSPORT SOFTWARE WITH A MANIFEST LIST," which as U.S. Patent No. 5,694,546 on December 2, 1997, and U.S. Appln. Serial No. 08/982,157, filed on December 1, 1997, and entitled "COMPUTER-IMPLEMENTED TRANSPORT OF ELECTRONIC INFORMATION OBJECTS," which is a Continuation of the aforementioned Serial No. 08/251,724 (U.S. Patent No. 5,694,546). All of the above-identified applications are incorporated herein by reference in their entirety.

BACKGROUND OF THE INVENTION

15 The present invention relates to computer-implemented transport of electronic information objects. More specifically, the present invention relates to software and corresponding methods for automatically fetching desired data from each of a plurality of independently-operated data sources via a non-proprietary network. A user station is also disclosed.

20 Electronic publication is an exploding industry in which thousands of new products including magazines and periodicals, software applications and utilities, video games, business, legal and financial information and databases, encyclopedias and dictionaries are purchased by millions of

customers. Commonly, such information products are replicated in computer-readable form on magnetic or optical storage diskettes and are box-packaged with printed manuals for distribution to retail stores and direct mail sales. These marketing practices are relatively expensive and involve a significant time lag of at least days or weeks to get a product into a consumer's hands once it is created.

Such costs and delays are generally acceptable for original, high value products such as collections of publications or software application, of which some examples are NEWSWEEK® Interactive CD-ROM, or disks, which provides a searchable audio-visual library of issues of NEWSWEEK magazine and CINEMANIA® CD-ROM which provides reviews and other information on newly released films. For time-sensitive, low-value updates, for example, the latest issue of Newsweek or last week's movie reviews, distribution in stored form, on physical media, is slow and the cost may exceed the value of the information in the product.

Thus, electronic transfer from a central computer server to a subscriber's computer over common carriers or wide area networks is an attractive proposition. Similar considerations apply to the distribution of software program updates, although cost and frequency of issue are not such serious constraints. A problem faced in both situations is that of incorporating the received material with the original material so that a fully integrated publication, information database or software program is obtained by the user.

Another class of electronically distributed information product comprises home shopping catalogues of mail order products distributed on optical or other digital data storage disks which may contain text, sound and images from printed catalogues or uniquely created material, for example software application demos. To applicant's knowledge and belief, available products lack any computer order placement capability, requiring orders to be placed by voice call.

Communication between remote computers, not directly interconnected by umbilical cable

or a wired network, is enabled by a wide range of hardware devices and software drivers, utilities, applications and application modules. Telephone modems that couple a computer with the telephone network are familiar devices. RF modems that couple computers into wireless networks are less familiar but are beginning to appear in consumer devices known broadly as personal information communicators (PIC's) of which personal digital assistants (PDA's) such as Apple Corp.'s NEWTON® product are a first generation. New kinds of digital communications devices can be expected to emerge as digital technology replaces analog transmission.

General-purpose, online, modem-accessed, electronic information services, such as PRODIGY, COMPUSERVE and AMERICA ONLINE (trademarks), and some Internet services, provide wide access to timely information products from a central server, but are limited and complex. They provide no means for the integration of downloaded information with information products offered on disk or CD, and provide only rudimentary facilities for local viewing and search of downloaded files.

Such online information services provide their own user interface which is generally unlike that of a disk or CD-based information product, and can be customized very little, if at all, by a publisher using the service for product distribution.

Online services are oriented to extended online sessions which require complex user interaction to navigate and find desired information objects. Initial setup and use is rendered complex by requirements related to extended session use of data networks and the frequent need to navigate across the network, and through massive data collections, to locate desired data items. General-purpose online information services do not provide a suitable medium for electronic information publishers to distribute updates, and the like, because of limited interface flexibility, because a publisher cannot expect all their customer base to be service subscribers, and because of cost and payment difficulties. Such services are centered on monolithic processes intended for national use by millions of subscribers which processes are not readily adaptable.

Online service charging mechanisms are also inflexible and inappropriate for most individual information products, requiring monthly subscription fees of \$5-10 or more, plus time charges for extended use, which are billed directly to users, after a user sign-up and credit acceptance process. Such cost mechanisms are too expensive and too complex for distribution of many products such as magazine and other low cost update products. They do not presently permit a publisher to build an access fee into a purchase price or a product subscription.

Recent press announcements from corporations such as AT&T, Lotus, Microsoft and MCI describe plans for new online services providing what are called "groupware" services to offer rich electronic mail and group collaboration functions, primarily for business organizations. Although offering multiple electronic object transport operations such services are believed to have complex setup procedures and software requirements and complex message routing features and protocols, and to lack interface flexibility. Accordingly, they are not suitable for mass distribution of low cost electronic information update products and cannot achieve the objectives of the invention.

Communications Products

Many software products exist that enable one computer to communicate with another over a remote link such as a telephone cable or the air waves, but none enables a vendor substantially to automate common carrier mass distribution of an electronic information product to a customer base employing multiple heterogenous systems with indeterminate hardware and software configurations.

Two examples of popular such software products are Datastorm Technologies, Inc.'s PROCOMM (trademark) and CENTRAL POINT COMMUTE (trademark) from Central Point Software, Inc. which are commonly used to provide a variety of functions, including file transfers between, interactive sessions from, host-mode services from, and remote computer management of, modem-equipped personal computers wired into the telephone network.

Counterpoint Publishing's Federal Register Publications

Counterpoint Publishing, (Cambridge MA) in brochures available to the applicant in November 1993 offered electronic information products entitled "Daily Federal Register" and "CD Federal Register." "Daily Federal Register" includes communications software and a high-speed modem. Apparently, the communications software is a standard general purpose communications package with dialing scripts that are customized to the needs of the Federal Register products. Accordingly, the cost of a communications package license which may be as high as about \$100 at retail must be included within the product cost. Also, Counterpoint Publishing avoids the difficulties of supporting various modems by providing its own standard modem, with the product, building in a cost (about \$100-200) which renders this approach quite unsuitable for mass-market distribution of low cost electronic information update products. The resulting product is not seamless either in its appearance or its operation because the communications software is separately invoked and used, and has its own disparate look and feel to the user.

The "CD Federal Register" provides the Federal Register on CD-ROM at weekly intervals for \$1,950.00 and CD-ROM disks are shipped to customers as they become available. Back issues are \$125 each. Updates are provided by shipping a disk. The Federal Register is a high-value product intended for specialist, business, academic and governmental users. Distribution of updates on CD-ROM, as utilized by Counterpoint Publishing, is not a suitable method for lower value products such as a weekly news magazine, because of the associated costs. Shipping delays are a further drawback.

While the two product "CD Federal Register" and "Daily Federal Register" might be used together, at an additive cost, to provide a combination of archives on CD-ROM plus daily updates obtained and stored until replaced by a new CD-ROM, based on information available to the present inventor it appears that the two products must be used separately. Thus they must apparently be viewed, searched, and managed as two or more separate collections, requiring multiple steps to

5

20

25

-6-

consumer or open commercial environment, and bring the drawbacks of complexity, cost, and program size, which may put undesirable operational constraints on the user (and perhaps even compromise the user's privacy). REMOTEWARE® is too costly and complex for mass distribution of updates to periodicals, cannot be shipped invisibly with an electronic information product and requires specialized server software and operations support that would challenge all but the largest and most technically sophisticated publishers. Accordingly, REMOTEWARE® is unsuitable for widespread use as an economical means of distributing updates for a variety of electronic information products.

Although it has wider applications, a significant problem addressed by the invention is the problem of economically distributing updates of electronic information products to a wide customer base that may number tens or hundreds of thousands, and in some cases, millions of consumers. At the date of this invention, such a customer base will normally include an extensive variety of computers, operating systems and communications devices, if the latter are present, all of which may have their own protocols and configuration requirements.

While an electronic information product vendor might consider licensing or purchasing an existing commercial communications product for distribution with their publication product to enable remote, diskless updating, the high cost of such a solution would generally be unacceptable because a communication package includes a broad range of functionalities not required for the vendor's particular purpose, for example, remote keyboarding. Significantly, a commercial communications package is not susceptible to customization of its user interface and may have its own configuration requirements and installation requirements, with regard to directories, device drivers and the like, which are incompatible with other vendor or user requirements or are simply a nuisance to the user. Thus, a commercial communications product in addition to its cost, cannot be satisfactorily integrated with an information product.

There is accordingly a need for computer-implementable information transport software to

enable simple, economical and prompt mass distribution of electronic information products.

SUMMARY OF THE INVENTION

5 This invention solves a problem. It solves the problem of enabling simple, economical and prompt mass distribution of electronic information products.

10 In one aspect, the present invention provides a method for controlling a user station configured for communications with a multiplicity of independently-operated data sources via a non-proprietary network. Advantageously, the method includes steps for providing a user interface to enable a user at the user station to select multiple ones of the multiplicity of independently-operated data object sources to be polled; automatically polling each of the selected data object sources in order to determine availability of desired data at each of the selected data object sources; and automatically transporting desired data determined to be available from each of the selected data object sources to the user station.

15 According to another aspect, the present invention provides a method for controlling a user station configured for communications with a multiplicity of independently-operated data sources via a non-proprietary network, including steps for providing a user interface to enable a user at the user station to select multiple ones of the multiplicity of independently-operated data object sources; automatically effecting respective communication sessions with each of the selected data object sources; and automatically fetching desired data from each of the selected data object sources during each of the respective communication sessions.

20 According to another aspect, the present invention provides software stored on a computer-readable storage medium at a user station configured for communications with a multiplicity of independently-operated data sources via a non-proprietary network. Preferably, the software provides a plurality of functions including an interface function that provides a user interface to

enable a user at the user station to select multiple ones of the multiplicity of independently-operated data object sources to be polled; a polling function that automatically polls each of the selected data object sources in order to determine availability of desired data at each of the selected data object sources; and a transport function that automatically transports desired data determined to be available from each of the selected data object sources to the user station.

According to another aspect, the present invention provides software stored on a computer-readable storage medium at a user station configured for communications with a multiplicity of independently-operated data sources via a non-proprietary network. Preferably, the software provides a plurality of functions including an interface function that provides a user interface to enable a user at the user station to select multiple ones of the multiplicity of independently-operated data object sources; a communication function that automatically effects respective communication sessions with each of the selected data object sources; and a fetch function that automatically fetches desired data from each of the selected data object sources during each of the respective communication sessions.

According to another aspect, the present invention provides a user station configured for communications with a multiplicity of independently-operated data sources via a non-proprietary network, including a device for providing a user interface to enable a user at the user station to select multiple ones of the multiplicity of independently-operated data object sources to be polled; another device for automatically polling each of the selected data object sources in order to determine availability of desired data at each of the selected data object sources; and a third device for automatically transporting desired data determined to be available from each of the selected data object sources to the user station.

According to another aspect, the present invention provides a user station configured for communications with a multiplicity of independently-operated data sources via a non-proprietary network, including a first device which provides a user interface to enable a user at the user station

to select multiple ones of the multiplicity of independently-operated data object sources; a second device which automatically effects respective communication sessions with each of the selected data object sources; and a third device which automatically fetches desired data from each of the selected data object sources during each of the respective communication sessions.

5

BRIEF DESCRIPTION OF THE DRAWINGS

One way of carrying out the invention is described in detail below with reference to drawings which illustrate only one specific embodiment of the invention and in which:

Figure 1 is a schematic diagram of one embodiment of an information transport software component according to the invention installed in a computer workstation and communicating with a complementary centrally located server-resident software module for mass distribution of digitized electronic information objects;

Figure 2 is a flow block diagram of an information transport operation performed by the software component and module of the embodiment of Figure 1;

Figure 3 is a schematic diagram of a server-based electronic distribution service employing an inventive information transport software component;

Figure 4 is a further schematic diagram of the service illustrated in Figure 3;

Figure 5 is a schematic diagram of a prior art communications product employed to transport an information object between a user and a remote server;

Figure 6 is a schematic diagram similar to Figure 5 showing, in a comparative manner, some of the benefits that can flow to a user when an information transport software component, such as that described with reference to Figure 1, is used for a similar transport operation;

Figure 7 is a schematic diagram of a basic object retrieval embodiment of the invention;

Figure 8 is a schematic diagram of a product-integrated interface embodiment of the invention;

Figure 9 is a schematic diagram of a server-enhanced embodiment of the invention;

Figure 10 is a schematic diagram of an embodiment of the invention providing update

objects via a commercial service;

Figure 11 is a schematic diagram of a multiple service routes embodiment of the invention;

Figure 12 is a schematic diagram of an offline Web browser embodiment of the invention;
and

5 Figure 13 is a schematic flow diagram of a hyperlink readdressing or redirection process according to the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Referring to Figure 1, the inventive software component is schematically shown in operative mode installed at a user's computer workstation. The workstation is communications-equipped for communication with remote services, for example by modem, which services are also shown schematically. Only relevant software and hardware components of the system are shown.

Relevant components at the workstation comprise operating system services 10, a containing information product 12, an information transport component or module 14, herein also referenced as a "transporter" which may be a stand-alone product or, in preferred embodiments is embedded or contained in the containing information product 12. Information transport component 14 provides
20 a general purpose facility for sending and fetching information objects between an end user's computer (the client) and a central server. Information transport component 14 is not customized to the containing information product 12, but is intended to be used in conjunction with any of a wide range of electronic information products.

25 Operating system services 10 provide capabilities for the containing information product 12 and the information transport component 14 to access a readable information storage device 16 which may, for example, be an optical disk drive such as a read-only CD-ROM where product information 17 is stored. In addition, a read/write information storage device 18, for example, a

conventional hard disk is accessed via the operating system services 10 for storage of a fetched additional information object 26. The storage media used for hard disks and the like are often described as nonvolatile and the type of storage is frequently referenced as "permanent." however, the more recently used term "persistent storage," which references the manner of storage as well as the physical storage media and distinguishes from transient storage where objects may be automatically erased after some interval, or event, without supervisory control or awareness of the erasure, is a more suitable descriptive term for the purposes of the present invention.

As necessary, different, or modified, information transporter components 14 can be supplied for users of different operating systems or system families, notably DOS (available in several versions, for example from Microsoft Corp, IBM Corporation, Novell, Inc.) Windows (trademark, Microsoft Corp.), Apple Computer Corp.'s operating systems, possibly IBM Corporation's OS/2 (trademark), and any distinct operating systems developed for personal digital assistants, pen-based computers and the like.

Information transport component 14 also uses operating system services 10 for external communication with a communications network 20 through which the information transport component 14 can access a remote server 22, or server-client network, supporting a data storage device 24 where desired additional information object 26 is located.

Communications network 20 can be any electronic distribution system suitable for transporting information objects 26 including wired and wireless common carriers such as telephone networks, cable television systems or networks and mobile telecommunications or data communications networks and extends also to emerging and future systems of providing electronic communication between users of diversified equipment. The term "common carrier" is used herein to embrace all such data communication systems as will reasonably meet the purposes of the invention. The term "modem" is used herein to embrace any network interface device enabling a user station to communicate on such a communications network 20.

While the containing information product 12 can take many different forms, as described herein, and as will also be apparent to those skilled in the art, a preferred embodiment is that of a periodically issuing publication or publications, for example, a news magazine or a collection of patents. Again, the additional information object 26 could be any information of interest to the user, having some relevance to the containing information product 12, but the invention and its unique capabilities enable the additional information object 24 to be fully integrated with the containing product 12 in a manner that can be automated to be transparent to the user.

The inventive information transport component 14 is designed to require a minimum of user input. A bare minimum will be a user's ID which can be entered by the user in a product setup and automatically accessed for information transport, or could be pre-loaded by the vendor from data supplied by the user at purchase.

A product ID is preferably pre-loaded into the containing information product 12 by the information product vendor or publisher to be available for use by the information transport component 14. However, even this may not be required. In an alternative embodiment, the product ID can be automatically incorporated into the product in a product replication process that permits individualized coding of unique ID's. In most cases, a user-actuated menu selection is provided in the containing information product 12 after integration with the inventive information transport component 14 to activate transport of an additional information object, and preferably, selection of transport activation drops down a menu of transport choices such as "FETCH UPDATE", "FETCH CATALOG OF UPDATES", "SEND DATA" and the like, each of which then runs automatically upon selection.

Updating can also be totally automatic, and other than an obviously desirable user notification, be completely invisible to or transparent to the user, running in background on their system, while the user's screen is available for other processing such as running the containing information product 12. Where updates are made available on a known schedule, a totally automated

product can be provided that fetches an update without any user intervention, on the specified release date, or as soon thereafter as the user's system, or the containing information product 12, is activated. In practice, most users will probably prefer an opportunity to confirm that the fetch transaction should proceed. A preferred embodiment monitors the user's system clock and alerts a user to the arrival of an update release date and asks the user to confirm that the system should seek and fetch the scheduled update, if available.

Thus, the invention is particularly suitable for importing updates of information or information processing products, such as periodically issuing literature, or software upgrades. Accordingly, additional information object 24 preferably comprises updates which can be integrated with the information product 12 to provide, for example, a coherent body or continuous sequence of materials that can be commonly searched and indexed preferably in a manner giving the user the appearance of a common logical file formed from physically distinct files. The appearance of integration can be achieved by searching new and then old indexes in series and making the search and navigation logic of the containing product smart enough to combine new and old information. For example a new object can have an index file similar to that for the original information product 12. A search engine can first search the new index, then the old one, and then produce a combined set of results. Preferably, the files are not actually merged or otherwise combined as to do so could be unduly complex.

As shown in Figure 1, the containing information product 12 comprises a user interface 28 enabling the user to view, search, excerpt and print or otherwise export or process selected information items from product information 17. The user interface 28 provides standard information product features, as conventionally supplied by the product publisher, supplemented by appropriate fetch or send options to activate the features of the inventive information transport component 14.

Also shown in Figure 1 are a database management module 30 and a data structure definition module 32. Database management module 30 provides retrieval-oriented database processing of the

information product including indexed searching and selective retrieval capabilities using one or more index keys such as an issue or item number, or full text searching, and may provide hypertext and hypermedia linkages. The data structure definition 32 provides the database structure of relevant files as classified by field or element, name, type, size and the like. After successful completion of a fetch operation, control is returned to containing information product 12 to process the new information in essentially the same manner as the original information, or in any other manner for which it has been equipped.

Major modules comprised in the inventive information transport component 14 are a user interface 34, a communications module 36 and fetch-send protocol 38. In addition, the information transport component 14 preferably comprises its own built-in application programming interfaces (APIs) such as a user interface API 40 and a communications API 42, enabling the information transport component 14's user interface and communications modules respectively, readily to be incorporated with, or plugged into a wide range of containing information products 14. Such incorporation, in the currently best known embodiment of the invention, is effected by software engineers familiar with and having access to the containing information product 12, but future developments may enable the incorporation process to be effected by skilled users.

References herein to an applications programming interface (API) will be understood to embrace any program interconnection technique which supports direct, seamless interaction between one program and another, including procedural calls, object encapsulation, or emerging techniques like Microsoft Corp.'s Object Linking and Embedding (OLE) or Apple Computer's Open Doc.

API 40 is responsible for providing means for the user to interact with the information transport functions of the invention and interface as seen by the user and API 42 is responsible for handling internal processes of communications and data management.

The APIs 40 and 42 are intended to enable the information transport component 14 to be used

by a range of product programs controlling a variety of information products and to enable each API 40 and 42 to be free to exercise flexibility and creativity in extending its associated user interface 28, data management module 30 and database structure 32 to fully address the provision of transport functions for the purposes described herein.

5

API 42 operates on a transport function level involving high level interactions between the containing product 12 or the user (or the optional user interface) and the transporter 14 before and after communications while the detailed low-level interactions between the transporter client and the server during communications are handled by fetch-send protocol 38, without involvement of the containing product 12 or the user. "High level" is used to refer to a level at which software interacts with a user, typically in simple, readily comprehensible, function-oriented, graphic or everyday language terms, while "low-level" refers to a level of detailed procedural interaction with an operating system, or device (modem, port etc.) in obscure program or machine language terms incomprehensible to most users.

Fetch-send protocol 38 is, in the preferred embodiment shown, a component of a novel client-server communications procedure designed to manage the transaction-oriented transmissions required to achieve satisfactory transport of desired server stored information objects, and optionally, central reporting of user information in a predetermined format. Alternatively, one or more existing protocols could be used.

20

Preferably, the API's 40 and 42 and the fetch-send protocol 38 are structured to use a manifest list to control the exchange of information objects. The manifest list can be provided in fetch-send protocol 38, and can be forwarded to remote server 22 to provide better efficiency, error control, and management of the operation. Alternatively the manifest list may remain resident at the user's station. The manifest is valuable operating at the client station, at the API level, to specify the actions required during a transport session and can in one embodiment comprise a list of send and fetch operations which are individually controlled.

25

This software mechanism, employing novel communications procedures and applications interfaces that reference an object manifest, provides a new way for performing a wide variety of information exchange functions in a simple, standardized and economical manner.

5

API Functions:**1) Product Setup**

In preferred embodiments, API 40 and API 42 include a product setup routine of an application-specific configuration, which is used by the publisher or product developer, prior to publication, to establish seamless compatibility between the containing information product 12 and the information transport component 14 for smooth execution of desired transport functions. A completion status code is also specified.

The application-specific configuration posts user and product ID information, as needed to process password or other access code authentication and posts files information, including designation of an application work directory and a transporter work directory for performing the transporter functions of information transport component 14.

20

Additionally, the application-specific configuration sets up an appropriate decompression (or compression for send objects) technique according to the expected format and condition of fetched information objects 46, which information is pre-coded into communications component 36.

25

The application-specific configuration established through API 40 selects either a standard user interface, as furnished with information transport component 14, or an application-controlled user interface. Control settings are established for connection problem handling, disk error handling, abort and server condition handling, access denial, unavailability of information object files and any other error situations which may occur during transport.

If desired, optional, advanced controls for scheduled automatic calling can be included in the application-specific configuration used in preparing the containing information product 12 for publication.

5 Preparation of containing information product 12 and incorporation of information transport component 14 therein, with an application specific configuration, as described is carried out prior to publication to build a customized, ready to run version of the product with automated update capability.

10 Communications API 42 establishes a product-specific transport method choice list for selection of an appropriate file transfer protocol as between direct dial, data network dial, and other modes of transport. Communications protocols specify necessary connection parameters such as access number and network addressing or other routing information. Optional script choices can provide for different modes of transport.

15 These product-specific configurations and protocols enable information transport component 14 to be packaged in executable form with containing information product 12, with all necessary product-specific components and settings, including a standard user interface if selected, ready for inclusion in the product package.

20 If desired, at the option of the information product publisher, a standard user interface may be included. Such an optional standard user interface can have all facilities needed to select transportable objects from a predefined list, perform all user setup functions, and invoke information object transport.

25 Additional options are standard software that would allow the user to search, view and print the transported objects totally independently of the user interface and database search components of the containing product. Both such options enable a publisher to exploit the inventive transport

product for efficiently and economically providing updates without having to make changes to the publisher's containing product, simply by configuring the transporter or information transport component 14 and physically including it, and the optional components, within the containing product.

5

A standard viewer might handle only ASCII text, but it preferably could provide for other useful formats such as standard word processor, spreadsheet or database formats, or multimedia formats such as video, sound and HTML (hypertext markup language), a format becoming popular on the Internet and which provides the ubiquitous Web pages for the Internet's World Wide Web.

API Functions:

2) User Setup

Compatibility with the user's system is effected by API 40 establishing a user-specific configuration, and creating or updating the necessary control files.

Parameters established in the user-specific configuration include a setup ID number to permit use of multiple setups, for example, for different transport options, and a product ID number.

20

The user-specific configuration posts user ID information and a password or other access code authentication and posts files information, including disk and drive designation for work and data directories. Autocall options and a completion status code are also specified.

25

API 40 provides information for communications module 36, specifying a user communications protocol for the user's hardware, operating system, line configuration, and so on. Thus, for a standard telephone connection, comm port, speed (baud rate), interrupt settings, modem type and control strings, dial prefix, dial 9, pulse or tone, call waiting shut-off, and the like are specified, as appropriate. Additionally, the user communications protocol includes access number

and connection parameters, optionally with script selection for routing choices via data networks, and so on.

The resultant user-specific configuration and communications protocols generated through API 40 create a setup ready to call and places it in the designated transporter work area. A validation procedure checks entries and reports obvious errors in parameter settings.

Preferably, multiple product ID setups are provided to enable multiple information products to use the transporter with an appropriate, compatible transporter version. Preferably also, the user-specific configuration accommodates shared use of the transporter work areas by multiple information product applications resident on the same user's system.

Mechanism of Fetch-Send Protocols 38 (User) and 44 (Server)

User fetch-send protocol 38 working in cooperation with server fetch-send protocol 44 controls the desired information object transport function, calling remote server 22 and exchanging data objects. It performs or supervises communications between the user's system and remote server 22.

Communications module 36 uses a setup ID number specified through API 40 or 42, selects which setup to use for a call, calls remote server 22 using protocol 38, and in a preferred embodiment, sends an object manifest comprising a send object list, a fetch object list or both. Such manifest is created under control of user interface 28 from a pre-existing set of choices supplied with the product or obtained during previous update operations, or both.

Alternatively fetch-send protocol 38 may refer to a pre-existing manifest list stored at the user's station, or may be directed by remote server 22 to select one of multiple pre-existing manifest lists stored at the user's station. As another alternative, although it is convenient and advantageous

to transmit the manifest list to the server 22, the relevant status and management information can simply be used locally by communications module 36 and be integrated into the individual fetch and send protocols.

5 A send object list comprises object action codes specifying the type of server action required, if any, object names, object sizes and response object size, if any. A fetch object list comprises object names, object sizes and an object availability date.

10 A completed object manifest is employed to convey the status of the transport operation and to provide for additional information transport, if desired. The completed object manifest adds the following to the request object manifest: send object additional information; object acceptance codes returned by server 22; time of acceptance; and a response object name, if called for by the object action code.

15 For a fetch operation, the completed object manifest adds the following to the request object manifest: fetch object additional information; a fetch confirmation or failure code; the time of completion or failure and a revised availability date if the requested fetch object was unavailable.

20 If a scheduled update or polling option is present and selected, a scheduling or polling indicator is included, and a completion of processing or import function to call through API 42 is specified.

25 A completion status code terminates the fetch or send operation and returns control to the information product application or the provided user interface.

Information Transport Using Communications Module 36

Communications module 36 employing the described fetch-send mechanism comprised by

cooperating protocols 38 and 44 performs the functions necessary to complete an information transport operation, as described herein, under a variety of circumstances, with tolerance for a common range of error conditions, open drives, inadequate disk space, lost line connections and the like, without losing control of the user's system. Using correct, verified ID, naming and routing information, the information transport operation employing the inventive information transport component 14 is less error-prone than many computer users would be were they effecting the transport operation with conventional technology requiring them to enter routing and storage information and the like, manually.

Communications module 36 verifies that all send objects are as specified, that all fetch objects are scheduled to be available, verifies that sufficient disk space is available for all fetch objects and for compressed transmission copies of all objects, and returns an error report if any of these requirements is not fulfilled.

Communications module 36 performs communications, then returns a completed object manifest, and logs all activity in a transporter log file. If an optional scheduling/polling feature is selected, the communication is deferred until the scheduled time.

These general objectives are achieved by carrying out the following process steps after an application (or optionally a transporter user interface) requests a transport function:

- 1) Local validation of the request returning a failure code if the request is improperly specified.
- 2) Compression of all send objects for transmission and placing them in the designated transporter work area.
- 3) Connection attempts to remote server 22, returning a failure code if necessary. Connections are made via phone line or network. The system handshakes and identifies the call to the server.
- 4) Presentation of the object manifest, if utilized, for validation and action.

- 5) On receiving a go-ahead, transport of each send object, logging each as sent, and receipt of object acceptance codes from the server and logs them, when received.
- 6) Receipt of all fetch objects from the server, placing them in the transporter work area, and logs them as received. Fetch object names may be precise, or generic or alias names may be used to request a latest installment.
- 7) Receipt and logging of a completed object manifest from the server. (If receipt of response objects is implied by the action codes, first receives a revised object manifest, and fetches the response objects, then receives the completed object manifest.)
- 8) Disconnection from server.
- 9) Decompression and unpacking of all fetch objects into application work area, and logs completion status.
- 10) Returns control to the application (or optional transporter user interface).

The product checks the completion code, and completed object manifest to deal with any error conditions. The application performs any required import processing on fetched objects to integrate the data and indexes with prior data, as desired, to enable seamless use. If desired, import processing can include, or offer as a user selection, file maintenance functions relevant to the information product including, for example, file purging to remove obsolete information files and preserve the user's storage space. Specifications of files to be deleted can be included with the original product or with a fetch object. In either event the responsibility for accurate specification is passed to the vendor, relieving the user of the risk of making erroneous deletions and anxiety attendant thereon. After such import processing the containing information product (or the optional separate user interface) then returns control to the user for use of the received data.

Those skilled in the art will appreciate that the identification of files in the object manifest, or for file maintenance functions as the user station, or for any other purpose of the invention, can be effected generically, for example by using wild card characters, as is customary in file

specification, and which effectively permits multiple objects to be specified as a class related by file name characteristics, or related individually, thereby providing options for specifying of such class of multiple objects to proceed at one time or in a series of transports over time. Other algebraical identification methods can be used which may reference object versions in series or comparable characteristics.

The foregoing steps are illustrated in the flow block diagram of Figure 2. When containing information product 12 issues an information transport call 50, setup filter 52 runs setup routine 54 if this is a first call and no information transport setup was run on installation of containing information product 12. At block 56, an object manifest is retrieved for pre-transport preparation at block 58. After prepping, a call to server 22 is established at block 60 and when the connection is made, and a handshake performed, one or more objects is transported at block 62.

After completion of transport and receipt of a completion manifest, server 22 is disconnected at block 64, received objects are decompressed and unpacked at block 66 and stored in a designated disk storage location at block 68. Object storage triggers containing information product 12's import processing to assimilate the information update with the original information product at block 70, following which a completion report is issued at 72 and control is returned to the containing information product 12 at 74.

Optional Schedule Function

An optional transport function module for scheduled or poll-responsive information object transport can be provided to defer the fetching of an update or to defer another information transport operation to a specified later time, or until called by the server.

The optional transport function schedules a request, waits, then automatically performs the transport operation at the scheduled time. In polling mode, it activates (and, if necessary, interrupts

and then reactivates) the user station's ability to receive calls.

Mechanics of the optional transport function include a request for an ID number, an indicator for calling or polling mode and a schedule iterating a call time, a retry protocol, call activation and timing, along with an authentication procedure for the server and a completion status code.

Client-Server Communications Protocol

Communications between the information transport component 14, functioning as a client, and the server 22 follow a predefined communications procedure having cooperative user components comprising user fetch-send protocol 38 and server fetch-send protocol 44.

Server-client intercommunication can be broken down into five steps, a) login, b) manifest transmission, c) send operation, d) fetch operation and e) logout, as described in more detail below.

a) login

Login establishes a session with an authorized client. A handshake process between user protocol 38 and server protocol 44 identifies the user's transporter client system to remote server 22 by product ID and user ID, and a password or other authentication code. A failure reason code is given to rejected clients.

b) manifest transmission

Preferably, via user protocol 38, the user system issues an information object transport request manifest to server 22. Server 22 verifies its ability to meet the request by returning a manifest acknowledgment specifying which elements will be processed and provides reason codes for declined elements. Alternatively, as stated previously, manifest functions can be listed in individual

send and fetch protocols.

c) send operation

5 If the user system outputs a send object, through information transport component 14 and protocol 38, server 22 receives and accepts the send objects and stores them, identified by product ID and user ID. Error control and retry mechanisms are employed and successful receipt of the send object is acknowledged and logged.

10 If the action code calls for a response object, the server obtains necessary processing from a pre-designated external source (corresponding to the product ID and action code) and returns the response as a fetch object, called a response object.

d) fetch operation

15 The server obtains requested fetch objects by product ID and object name and forwards them to the transporter at the user. Error control and retry mechanisms are employed and successful transmissions are acknowledged and logged.

e) logout

20 The server transmits the completed object manifest to the transporter, confirms and logs receipt, and ends the session.

25 **The Inventive Transporter Compared with a Conventional Communications Product**

 Figures 5 and 6 illustrate schematically the simplicity and ease-of-use benefits the invention provides Figure 6 to a user 100 in fetching an information object from a remote server 22 as

compared with the use of a conventional communications product (Figure 5), such, for example, as CENTRAL POINT COMMUTE (trademark) or PROCOM (trademark).

5 In the prior art embodiment of Figure 5, many operations require active participation by the user who, for example, must at least initiate any pre-transport preparation 104 of the information object, such as checking the specifications, checking work space available to store a fetched object and conducting any other preliminary checks. The user has to activate a communications product 102, specify a call route, and after the call connection is established, specify the objects and initiate a transport operation. Communications product 102, operating in a cooperative manner with remote server 22, will execute establish call connection 60 after the call route (phone number) has been specified and will execute transport objects 62 after the objects to be transported are specified by the user. Disconnection 64 is usually effected by a user executing a call termination command, which if the user is inattentive, or inefficient, may be delayed longer than necessary to complete the transport operation, running up unnecessary line or air time charges.

10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995
1000
1005
1010
1015
1020
1025
1030
1035
1040
1045
1050
1055
1060
1065
1070
1075
1080
1085
1090
1095
1100
1105
1110
1115
1120
1125
1130
1135
1140
1145
1150
1155
1160
1165
1170
1175
1180
1185
1190
1195
1200
1205
1210
1215
1220
1225
1230
1235
1240
1245
1250
1255
1260
1265
1270
1275
1280
1285
1290
1295
1300
1305
1310
1315
1320
1325
1330
1335
1340
1345
1350
1355
1360
1365
1370
1375
1380
1385
1390
1395
1400
1405
1410
1415
1420
1425
1430
1435
1440
1445
1450
1455
1460
1465
1470
1475
1480
1485
1490
1495
1500
1505
1510
1515
1520
1525
1530
1535
1540
1545
1550
1555
1560
1565
1570
1575
1580
1585
1590
1595
1600
1605
1610
1615
1620
1625
1630
1635
1640
1645
1650
1655
1660
1665
1670
1675
1680
1685
1690
1695
1700
1705
1710
1715
1720
1725
1730
1735
1740
1745
1750
1755
1760
1765
1770
1775
1780
1785
1790
1795
1800
1805
1810
1815
1820
1825
1830
1835
1840
1845
1850
1855
1860
1865
1870
1875
1880
1885
1890
1895
1900
1905
1910
1915
1920
1925
1930
1935
1940
1945
1950
1955
1960
1965
1970
1975
1980
1985
1990
1995
2000
2005
2010
2015
2020
2025
2030
2035
2040
2045
2050
2055
2060
2065
2070
2075
2080
2085
2090
2095
2100
2105
2110
2115
2120
2125
2130
2135
2140
2145
2150
2155
2160
2165
2170
2175
2180
2185
2190
2195
2200
2205
2210
2215
2220
2225
2230
2235
2240
2245
2250
2255
2260
2265
2270
2275
2280
2285
2290
2295
2300
2305
2310
2315
2320
2325
2330
2335
2340
2345
2350
2355
2360
2365
2370
2375
2380
2385
2390
2395
2400
2405
2410
2415
2420
2425
2430
2435
2440
2445
2450
2455
2460
2465
2470
2475
2480
2485
2490
2495
2500
2505
2510
2515
2520
2525
2530
2535
2540
2545
2550
2555
2560
2565
2570
2575
2580
2585
2590
2595
2600
2605
2610
2615
2620
2625
2630
2635
2640
2645
2650
2655
2660
2665
2670
2675
2680
2685
2690
2695
2700
2705
2710
2715
2720
2725
2730
2735
2740
2745
2750
2755
2760
2765
2770
2775
2780
2785
2790
2795
2800
2805
2810
2815
2820
2825
2830
2835
2840
2845
2850
2855
2860
2865
2870
2875
2880
2885
2890
2895
2900
2905
2910
2915
2920
2925
2930
2935
2940
2945
2950
2955
2960
2965
2970
2975
2980
2985
2990
2995
3000
3005
3010
3015
3020
3025
3030
3035
3040
3045
3050
3055
3060
3065
3070
3075
3080
3085
3090
3095
3100
3105
3110
3115
3120
3125
3130
3135
3140
3145
3150
3155
3160
3165
3170
3175
3180
3185
3190
3195
3200
3205
3210
3215
3220
3225
3230
3235
3240
3245
3250
3255
3260
3265
3270
3275
3280
3285
3290
3295
3300
3305
3310
3315
3320
3325
3330
3335
3340
3345
3350
3355
3360
3365
3370
3375
3380
3385
3390
3395
3400
3405
3410
3415
3420
3425
3430
3435
3440
3445
3450
3455
3460
3465
3470
3475
3480
3485
3490
3495
3500
3505
3510
3515
3520
3525
3530
3535
3540
3545
3550
3555
3560
3565
3570
3575
3580
3585
3590
3595
3600
3605
3610
3615
3620
3625
3630
3635
3640
3645
3650
3655
3660
3665
3670
3675
3680
3685
3690
3695
3700
3705
3710
3715
3720
3725
3730
3735
3740
3745
3750
3755
3760
3765
3770
3775
3780
3785
3790
3795
3800
3805
3810
3815
3820
3825
3830
3835
3840
3845
3850
3855
3860
3865
3870
3875
3880
3885
3890
3895
3900
3905
3910
3915
3920
3925
3930
3935
3940
3945
3950
3955
3960
3965
3970
3975
3980
3985
3990
3995
4000
4005
4010
4015
4020
4025
4030
4035
4040
4045
4050
4055
4060
4065
4070
4075
4080
4085
4090
4095
4100
4105
4110
4115
4120
4125
4130
4135
4140
4145
4150
4155
4160
4165
4170
4175
4180
4185
4190
4195
4200
4205
4210
4215
4220
4225
4230
4235
4240
4245
4250
4255
4260
4265
4270
4275
4280
4285
4290
4295
4300
4305
4310
4315
4320
4325
4330
4335
4340
4345
4350
4355
4360
4365
4370
4375
4380
4385
4390
4395
4400
4405
4410
4415
4420
4425
4430
4435
4440
4445
4450
4455
4460
4465
4470
4475
4480
4485
4490
4495
4500
4505
4510
4515
4520
4525
4530
4535
4540
4545
4550
4555
4560
4565
4570
4575
4580
4585
4590
4595
4600
4605
4610
4615
4620
4625
4630
4635
4640
4645
4650
4655
4660
4665
4670
4675
4680
4685
4690
4695
4700
4705
4710
4715
4720
4725
4730
4735
4740
4745
4750
4755
4760
4765
4770
4775
4780
4785
4790
4795
4800
4805
4810
4815
4820
4825
4830
4835
4840
4845
4850
4855
4860
4865
4870
4875
4880
4885
4890
4895
4900
4905
4910
4915
4920
4925
4930
4935
4940
4945
4950
4955
4960
4965
4970
4975
4980
4985
4990
4995
5000
5005
5010
5015
5020
5025
5030
5035
5040
5045
5050
5055
5060
5065
5070
5075
5080
5085
5090
5095
5100
5105
5110
5115
5120
5125
5130
5135
5140
5145
5150
5155
5160
5165
5170
5175
5180
5185
5190
5195
5200
5205
5210
5215
5220
5225
5230
5235
5240
5245
5250
5255
5260
5265
5270
5275
5280
5285
5290
5295
5300
5305
5310
5315
5320
5325
5330
5335
5340
5345
5350
5355
5360
5365
5370
5375
5380
5385
5390
5395
5400
5405
5410
5415
5420
5425
5430
5435
5440
5445
5450
5455
5460
5465
5470
5475
5480
5485
5490
5495
5500
5505
5510
5515
5520
5525
5530
5535
5540
5545
5550
5555
5560
5565
5570
5575
5580
5585
5590
5595
5600
5605
5610
5615
5620
5625
5630
5635
5640
5645
5650
5655
5660
5665
5670
5675
5680
5685
5690
5695
5700
5705
5710
5715
5720
5725
5730
5735
5740
5745
5750
5755
5760
5765
5770
5775
5780
5785
5790
5795
5800
5805
5810
5815
5820
5825
5830
5835
5840
5845
5850
5855
5860
5865
5870
5875
5880
5885
5890
5895
5900
5905
5910
5915
5920
5925
5930
5935
5940
5945
5950
5955
5960
5965
5970
5975
5980
5985
5990
5995
6000
6005
6010
6015
6020
6025
6030
6035
6040
6045
6050
6055
6060
6065
6070
6075
6080
6085
6090
6095
6100
6105
6110
6115
6120
6125
6130
6135
6140
6145
6150
6155
6160
6165
6170
6175
6180
6185
6190
6195
6200
6205
6210
6215
6220
6225
6230
6235
6240
6245
6250
6255
6260
6265
6270
6275
6280
6285
6290
6295
6300
6305
6310
6315
6320
6325
6330
6335
6340
6345
6350
6355
6360
6365
6370
6375
6380
6385
6390
6395
6400
6405
6410
6415
6420
6425
6430
6435
6440
6445
6450
6455
6460
6465
6470
6475
6480
6485
6490
6495
6500
6505
6510
6515
6520
6525
6530
6535
6540
6545
6550
6555
6560
6565
6570
6575
6580
6585
6590
6595
6600
6605
6610
6615
6620
6625
6630
6635
6640
6645
6650
6655
6660
6665
6670
6675
6680
6685
6690
6695
6700
6705
6710
6715
6720
6725
6730
6735
6740
6745
6750
6755
6760
6765
6770
6775
6780
6785
6790
6795
6800
6805
6810
6815
6820
6825
6830
6835
6840
6845
6850
6855
6860
6865
6870
6875
6880
6885
6890
6895
6900
6905
6910
6915
6920
6925
6930
6935
6940
6945
6950
6955
6960
6965
6970
6975
6980
6985
6990
6995
7000
7005
7010
7015
7020
7025
7030
7035
7040
7045
7050
7055
7060
7065
7070
7075
7080
7085
7090
7095
7100
7105
7110
7115
7120
7125
7130
7135
7140
7145
7150
7155
7160
7165
7170
7175
7180
7185
7190
7195
7200
7205
7210
7215
7220
7225
7230
7235
7240
7245
7250
7255
7260
7265
7270
7275
7280
7285
7290
7295
7300
7305
7310
7315
7320
7325
7330
7335
7340
7345
7350
7355
7360
7365
7370
7375
7380
7385
7390
7395
7400
7405
7410
7415
7420
7425
7430
7435
7440
7445
7450
7455
7460
7465
7470
7475
7480
7485
7490
7495
7500
7505
7510
7515
7520
7525
7530
7535
7540
7545
7550
7555
7560
7565
7570
7575
7580
7585
7590
7595
7600
7605
7610
7615
7620
7625
7630
7635
7640
7645
7650
7655
7660
7665
7670
7675
7680
7685
7690
7695
7700
7705
7710
7715
7720
7725
7730
7735
7740
7745
7750
7755
7760
7765
7770
7775
7780
7785
7790
7795
7800
7805
7810
7815
7820
7825
7830
7835
7840
7845
7850
7855
7860
7865
7870
7875
7880
7885
7890
7895
7900
7905
7910
7915
7920
7925
7930
7935
7940
7945
7950
7955
7960
7965
7970
7975
7980
7985
7990
7995
8000
8005
8010
8015
8020
8025
8030
8035
8040
8045
8050
8055
8060
8065
8070
8075
8080
8085
8090
8095
8100
8105
8110
8115
8120
8125
8130
8135
8140
8145
8150
8155
8160
8165
8170
8175
8180
8185
8190
8195
8200
8205
8210
8215
8220
8225
8230
8235
8240
8245
8250
8255
8260
8265
8270
8275
8280
8285
8290
8295
8300
8305
8310
8315
8320
8325
8330
8335
8340
8345
8350
8355
8360
8365
8370
8375
8380
8385
8390
8395
8400
8405
8410
8415
8420
8425
8430
8435
8440
8445
8450
8455
8460
8465
8470
8475
8480
8485
8490
8495
8500
8505
8510
8515
8520
8525
8530
8535
8540
8545
8550
8555
8560
8565
8570
8575
8580
8585
8590
8595
8600
8605
8610
8615
8620
8625
8630
8635
8640
8645
8650
8655
8660
8665
8670
8675
8680
8685
8690
8695
8700
8705
8710
8715
8720
8725
8730
8735
8740
8745
8750
8755
8760
8765
8770
8775
8780
8785
8790
8795
8800
8805
8810
8815
8820
8825
8830
8835
8840
8845
8850
8855
8860
8865
8870
8875
8880
8885
8890
8895
8900
8905
8910
8915
8920
8925
8930
8935
8940
8945
8950
8955
8960
8965
8970
8975
8980
8985
8990
8995
9000
9005
9010
9015
9020
9025
9030
9035
9040
9045
9050
9055
9060
9065
9070
9075
9080
9085
9090
9095
9100
9105
9110
9115
9120
9125
9130
9135
9140
9145
9150
9155
9160
9165
9170
9175
9180
9185
9190
9195
9200
9205
9210
9215
9220
9225
9230
9235
9240
9245
9250
9255
9260
9265
9270
9275
9280
9285
9290
9295
9300
9305
9310
9315
9320
9325
9330
9335
9340
9345
9350
9355
9360
9365
9370
9375
9380
9385
9390
9395
9400
9405
9410
9415
9420
9425
9430
9435
9440
9445
9450
9455
9460
9465
9470
9475
9480
9485
9490
9495
9500
9505
9510
9515
9520
9525
9530
9535
9540
9545
9550
9555
9560
9565
9570
9575
9580
9585
9590
9595
9600
9605
9610
9615
9620
9625
9630
9635
9640
9645
9650
9655
9660
9665
9670
9675
9680
9685
9690
9695
9700
9705
9710
9715
9720
9725
9730
9735
9740
9745
9750
9755
9760
9765
9770
9775
9780
9785
9790
9795
9800
9805
9810
9815
9820
9825
9830
9835
9840
9845
9850
9855
9860
9865
9870
9875
9880
9885
9890
9895
9900
9905
9910
9915
9920
9925
9930
9935
9940
9945
9950
9955
9960
9965
9970
9975
9980
9985
9990
9995
10000
10005
10010
10015
10020
10025
10030
10035
10040
10045
10050
10055
10060
10065
10070
10075
10080
10085
10090
10095
10100
10105
10110
10115
10120
10125
10130
10135
10140
10145
10150
10155
10160
10165

unattended mode, after initiation.

Figure 6 clearly shows how the inventive information transport component 14 relieves user 100 of many tedious communication functions such as activating a communications product, specifying a call route, specifying the objects to be transported and deactivating the communications product. In addition, preferred embodiments of the invention also relieve the user of optional pre-transport preparation 104 and execution of store-and-process-fetched-product 106 if these functions are appropriate to the containing information product.

Referring to Figure 6, user 100 selects a transport operation from a user interface screen in containing information product 12, whereupon the latter calls information transport component 14 to activate transport. Information transport component 14 implements any necessary pre-transport preparation 104 and then, employing its own communications module 36, and server fetch-send protocol 44, proceeds in unattended mode, without requiring user intervention to establish call connection 60, to execute transport object 62 and automatically perform a disconnect 64, as described herein.

Automatic transport control and disconnection is a useful feature of the invention providing economy of line or air time charges and reducing congestion on the communications carrier. Using conventional communications products, (especially with online services) the duration of the connection may be unnecessarily extended by the delays and potential errors inherent in user control, resulting in increased communications costs and failures. The inventive transporter 14 provides software control of the connection duration, enabling it to be confined to a period sufficient to effect said unattended object transfer, enhancing efficient use of the communications medium.

Also as described, the operation can be monitored or controlled by employing an object manifest and is facilitated by the use of pre-specified addresses and transport characteristics. After satisfactorily completing the transport, the information transport component 14 automatically

deactivates and returns control to containing information product 12, preferably with a satisfactory completion report which containing information product 12 notifies to user 100 through the containing information product 125 user interface.

5 If the transport object 62 was a product update, optionally a store-and-process-of-fetched-object 106 is initiated by information transport component 14 and execution of the store and process operation may be passed to the containing information product 12. The user can now use the updated product.

10 As Figure 6 shows, when read, in comparison with Figure 5, the invention enables a user 100 to be relieved of all duties save for minimal selection and notification functions, while no complex added functionality is demanded of containing information product 12. Optional store-and-process-or-fetched-object 106 is contemplated as requiring only minimal modification of existing containing information product 12 functions while other more complex procedural and detailed transport related functions are handled by the information transport component 14.

Some non-limiting examples illustrative of practical commercial and industrial applications of the invention will now be described.

20 **Example 1: A News Magazine Distributed on CD-ROM**

Some weekly news magazines offer subscriptions to a quarterly CD-ROM which contains multimedia material plus a searchable full- text database of the most recent quarter's weekly magazine issues and enabling application software. Newer issues are not provided until the next
25 quarterly disc is mailed. Accordingly the CD-ROM electronic magazine product steadily becomes out of date and its value lessens.

The invention incorporates an information transport component 14 with a news magazine

product stored on a CD-ROM 16, to enable a user to fetch an information object 46 in the form of new issues (and their associated search indexes) from a remote server 22, as they become available, for example weekly. The fetched updates are stored on a consumer's computer hard disk storage device 24. Because of the size of rich content multimedia files, the updates are limited to text material including full texts of interim issues and associated files such as indexes. Because it knows the storage location of the updates, the next CD-ROM issue can include, as an install option, or upon first access, a request to delete the old now-outdated updates from hard disk 24, creating space for new updates.

User interface 28 in conjunction with user interface 34 contains code providing a menu selection enabling a user to activate the update fetch operation and then to provide integrated or seamless access to the combined data, searching both the hard disk storage device 24 and the CD, using both sets of indexes, so that the contents are viewable as a single collection, although an additional independent searching/viewing function for the updates could be provided, if desired.

A product setup routine adapts the information transport component 14 to work with the news magazine CD-ROM's existing software for creation of a user interface, searching and viewing. Communications options may be limited to direct telephone dial only. A simple user interface addition controls a setup process allowing the user to enter a unique user ID, provided with each copy of the CD-ROM distribution disk, and to create predetermined work areas on the user's hard disk.

A schedule of updates with names, dates, and files sizes is provided in the containing news magazine product on the CD-ROM and is accessed via user interface 28 in conjunction with user interface 34 to create a fetch object manifest 48. Optionally, user interface 28 in conjunction with user interface 34 creates a send object manifest 48 to control transport of user demographics for market analysis or for renewals, or the like, in the opposite direction from the user to the server, with the send operation being triggered whenever the next transport operation is activated, or optionally,

by allowing the user to trigger it.

A fetched information object 46, such as an update, is automatically decompressed and stored on hard disk storage device 18 as additional information object 26 for integration with the original CD-ROM product so that the user can view both the update and the original issues, and run searches across the entire collection.

Optionally, initial location of additional information object 26 may be an application work area location on storage device 18, and communications component 36 may be pre-set to pass control via API 42 to database management module 30 which will do further processing to integrate additional objects in accordance with the existing database structure 32 to provide a more complete level of integration permitting, for example, viewing of combined menus, nullification of obsoleted items, and cross-linking of hypertext elements.

If a send object has been prepared and included in the object manifest, such as a send object containing user information entered during the install process, or subscription request information obtained from the user, it is sent to server 22 to be stored and identified by product and user ID for appropriate action in due course. Acknowledgment of receipt of the send object is noted by communications component 36 and passed back to the user if such provision is made in user interface 28.

Both the fetch and send operations are closed ended in the sense of being operations that are pre-described in the original information product and once triggered, can be completed without human intervention of any kind.

To service the automated update facility running at the user's workstation, remote server 22 is set up to accept calls from valid user ID's, and is loaded with new issue text and index files, in the form of update information object 46, according to a publication schedule.

Example 2: Open-Ended Fetch of a Supplementary News Magazine Object

Open-ended access to supplemental information objects not described in the original information product can be obtained by providing in the original product means to fetch a directory of added features. This can be used, for example, by a news magazine publisher to provide special news features on an unplanned basis, or each weekly issue could be packaged with a directory of additional features available. The user first specifies a fetch of the new directory, or receives it along with a fetched update they have specified from a user interface menu, and then views the fetched additional features directory and initiates a fetch of a selected additional item or items in a second information object transport operation, using an information object manifest built from the new features directory.

The original, containing product news magazine CD-ROM user interface 28 preferably has provision for importing and viewing any information objects listed on a completed fetch manifest and delivered by the information transport component 14 into the designated work areas. Alternatively, a standard information transport component 14 user interface 34 can be used to provide this function in a less integrated form.

**Example 3: Retail Catalog on CD-ROM with Merchandise
Order Entry at the Server**

Multimedia product catalogs with 800 ordering numbers are now available on CD-ROM and also with pre-installed software packages on new computer hard disks. In this example, the multimedia (or text and graphic) product catalog is a read-only information product 17 which can be furnished with an information transport component 14 according to the invention, to facilitate order placement from such electronic product catalogs providing an easier order placing process than has heretofore been possible. Employing the inventive information transport component 14, a catalog vendor can enable a customer to place the order directly, via modem, without requiring a voice call

and ensuing verbal product identification, by pointing and clicking a "Place Order" or "Mark for Order" button on the user's computer screen. The order is transported to remote server 22 using the novel information transport component 14. Preferably a verification routine is included, requiring order confirmation with a user-supplied password, and possibly keying of the total amount to prevent unauthorized or inadvertent product ordering, for example by children.

Order fulfillment is effected by processing of the information in due course after receipt by the remote server 22 and any additional information required centrally is collected during product setup and held locally for transmission with an order. For example, setup can capture the user's charge card information, shipping address, and the like and create a header for an electronic order form.

When the user clicks the "Mark Order" button, procedures supplied with the user interface 28, as modified through user interface API 40, add order item identification information to an electronic order form. When the user clicks the "Place Order" button, user interface 28 triggers a transport request to server 22, to include the order form as a send information object 46. Transport of the send object, including the order form, from the user's station to the server is executed employing an object manifest 48, as described herein.

If not located at a vendor's or merchant's premises, server 22 can forward received electronic orders to the merchant for fulfillment, at appropriate intervals, via a vendor link 50.

This simple, low cost mechanism for automated order placement, can complement telephone ordering but lacks the credit-checking and inventory status capabilities that are frequently provided by phone. However, such a catalog application could allow the user to request the fetching of an inventory and price update object for use prior to the preparation of an order.

Example 4: Merchandise Order Processing and Confirmation
Retail Catalog on CD-ROM

5 A powerful electronic merchandising tool can be provided by providing the user with a full-function order generating capability and employing transporter 14 to transmit a user -created merchandise order, effortlessly and seamlessly, to a remote order-processing server. To this end, server 22 should be interfaced to the necessary merchant processing services for checking and reporting credit and inventory status.

10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995
1000
1005
1010
1015
1020
1025
1030
1035
1040
1045
1050
1055
1060
1065
1070
1075
1080
1085
1090
1095
1100
1105
1110
1115
1120
1125
1130
1135
1140
1145
1150
1155
1160
1165
1170
1175
1180
1185
1190
1195
1200
1205
1210
1215
1220
1225
1230
1235
1240
1245
1250
1255
1260
1265
1270
1275
1280
1285
1290
1295
1300
1305
1310
1315
1320
1325
1330
1335
1340
1345
1350
1355
1360
1365
1370
1375
1380
1385
1390
1395
1400
1405
1410
1415
1420
1425
1430
1435
1440
1445
1450
1455
1460
1465
1470
1475
1480
1485
1490
1495
1500
1505
1510
1515
1520
1525
1530
1535
1540
1545
1550
1555
1560
1565
1570
1575
1580
1585
1590
1595
1600
1605
1610
1615
1620
1625
1630
1635
1640
1645
1650
1655
1660
1665
1670
1675
1680
1685
1690
1695
1700
1705
1710
1715
1720
1725
1730
1735
1740
1745
1750
1755
1760
1765
1770
1775
1780
1785
1790
1795
1800
1805
1810
1815
1820
1825
1830
1835
1840
1845
1850
1855
1860
1865
1870
1875
1880
1885
1890
1895
1900
1905
1910
1915
1920
1925
1930
1935
1940
1945
1950
1955
1960
1965
1970
1975
1980
1985
1990
1995
2000
2005
2010
2015
2020
2025
2030
2035
2040
2045
2050
2055
2060
2065
2070
2075
2080
2085
2090
2095
2100
2105
2110
2115
2120
2125
2130
2135
2140
2145
2150
2155
2160
2165
2170
2175
2180
2185
2190
2195
2200
2205
2210
2215
2220
2225
2230
2235
2240
2245
2250
2255
2260
2265
2270
2275
2280
2285
2290
2295
2300
2305
2310
2315
2320
2325
2330
2335
2340
2345
2350
2355
2360
2365
2370
2375
2380
2385
2390
2395
2400
2405
2410
2415
2420
2425
2430
2435
2440
2445
2450
2455
2460
2465
2470
2475
2480
2485
2490
2495
2500
2505
2510
2515
2520
2525
2530
2535
2540
2545
2550
2555
2560
2565
2570
2575
2580
2585
2590
2595
2600
2605
2610
2615
2620
2625
2630
2635
2640
2645
2650
2655
2660
2665
2670
2675
2680
2685
2690
2695
2700
2705
2710
2715
2720
2725
2730
2735
2740
2745
2750
2755
2760
2765
2770
2775
2780
2785
2790
2795
2800
2805
2810
2815
2820
2825
2830
2835
2840
2845
2850
2855
2860
2865
2870
2875
2880
2885
2890
2895
2900
2905
2910
2915
2920
2925
2930
2935
2940
2945
2950
2955
2960
2965
2970
2975
2980
2985
2990
2995
3000
3005
3010
3015
3020
3025
3030
3035
3040
3045
3050
3055
3060
3065
3070
3075
3080
3085
3090
3095
3100
3105
3110
3115
3120
3125
3130
3135
3140
3145
3150
3155
3160
3165
3170
3175
3180
3185
3190
3195
3200
3205
3210
3215
3220
3225
3230
3235
3240
3245
3250
3255
3260
3265
3270
3275
3280
3285
3290
3295
3300
3305
3310
3315
3320
3325
3330
3335
3340
3345
3350
3355
3360
3365
3370
3375
3380
3385
3390
3395
3400
3405
3410
3415
3420
3425
3430
3435
3440
3445
3450
3455
3460
3465
3470
3475
3480
3485
3490
3495
3500
3505
3510
3515
3520
3525
3530
3535
3540
3545
3550
3555
3560
3565
3570
3575
3580
3585
3590
3595
3600
3605
3610
3615
3620
3625
3630
3635
3640
3645
3650
3655
3660
3665
3670
3675
3680
3685
3690
3695
3700
3705
3710
3715
3720
3725
3730
3735
3740
3745
3750
3755
3760
3765
3770
3775
3780
3785
3790
3795
3800
3805
3810
3815
3820
3825
3830
3835
3840
3845
3850
3855
3860
3865
3870
3875
3880
3885
3890
3895
3900
3905
3910
3915
3920
3925
3930
3935
3940
3945
3950
3955
3960
3965
3970
3975
3980
3985
3990
3995
4000
4005
4010
4015
4020
4025
4030
4035
4040
4045
4050
4055
4060
4065
4070
4075
4080
4085
4090
4095
4100
4105
4110
4115
4120
4125
4130
4135
4140
4145
4150
4155
4160
4165
4170
4175
4180
4185
4190
4195
4200
4205
4210
4215
4220
4225
4230
4235
4240
4245
4250
4255
4260
4265
4270
4275
4280
4285
4290
4295
4300
4305
4310
4315
4320
4325
4330
4335
4340
4345
4350
4355
4360
4365
4370
4375
4380
4385
4390
4395
4400
4405
4410
4415
4420
4425
4430
4435
4440
4445
4450
4455
4460
4465
4470
4475
4480
4485
4490
4495
4500
4505
4510
4515
4520
4525
4530
4535
4540
4545
4550
4555
4560
4565
4570
4575
4580
4585
4590
4595
4600
4605
4610
4615
4620
4625
4630
4635
4640
4645
4650
4655
4660
4665
4670
4675
4680
4685
4690
4695
4700
4705
4710
4715
4720
4725
4730
4735
4740
4745
4750
4755
4760
4765
4770
4775
4780
4785
4790
4795
4800
4805
4810
4815
4820
4825
4830
4835
4840
4845
4850
4855
4860
4865
4870
4875
4880
4885
4890
4895
4900
4905
4910
4915
4920
4925
4930
4935
4940
4945
4950
4955
4960
4965
4970
4975
4980
4985
4990
4995
5000
5005
5010
5015
5020
5025
5030
5035
5040
5045
5050
5055
5060
5065
5070
5075
5080
5085
5090
5095
5100
5105
5110
5115
5120
5125
5130
5135
5140
5145
5150
5155
5160
5165
5170
5175
5180
5185
5190
5195
5200
5205
5210
5215
5220
5225
5230
5235
5240
5245
5250
5255
5260
5265
5270
5275
5280
5285
5290
5295
5300
5305
5310
5315
5320
5325
5330
5335
5340
5345
5350
5355
5360
5365
5370
5375
5380
5385
5390
5395
5400
5405
5410
5415
5420
5425
5430
5435
5440
5445
5450
5455
5460
5465
5470
5475
5480
5485
5490
5495
5500
5505
5510
5515
5520
5525
5530
5535
5540
5545
5550
5555
5560
5565
5570
5575
5580
5585
5590
5595
5600
5605
5610
5615
5620
5625
5630
5635
5640
5645
5650
5655
5660
5665
5670
5675
5680
5685
5690
5695
5700
5705
5710
5715
5720
5725
5730
5735
5740
5745
5750
5755
5760
5765
5770
5775
5780
5785
5790
5795
5800
5805
5810
5815
5820
5825
5830
5835
5840
5845
5850
5855
5860
5865
5870
5875
5880
5885
5890
5895
5900
5905
5910
5915
5920
5925
5930
5935
5940
5945
5950
5955
5960
5965
5970
5975
5980
5985
5990
5995
6000
6005
6010
6015
6020
6025
6030
6035
6040
6045
6050
6055
6060
6065
6070
6075
6080
6085
6090
6095
6100
6105
6110
6115
6120
6125
6130
6135
6140
6145
6150
6155
6160
6165
6170
6175
6180
6185
6190
6195
6200
6205
6210
6215
6220
6225
6230
6235
6240
6245
6250
6255
6260
6265
6270
6275
6280
6285
6290
6295
6300
6305
6310
6315
6320
6325
6330
6335
6340
6345
6350
6355
6360
6365
6370
6375
6380
6385
6390
6395
6400
6405
6410
6415
6420
6425
6430
6435
6440
6445
6450
6455
6460
6465
6470
6475
6480
6485
6490
6495
6500
6505
6510
6515
6520
6525
6530
6535
6540
6545
6550
6555
6560
6565
6570
6575
6580
6585
6590
6595
6600
6605
6610
6615
6620
6625
6630
6635
6640
6645
6650
6655
6660
6665
6670
6675
6680
6685
6690
6695
6700
6705
6710
6715
6720
6725
6730
6735
6740
6745
6750
6755
6760
6765
6770
6775
6780
6785
6790
6795
6800
6805
6810
6815
6820
6825
6830
6835
6840
6845
6850
6855
6860
6865
6870
6875
6880
6885
6890
6895
6900
6905
6910
6915
6920
6925
6930
6935
6940
6945
6950
6955
6960
6965
6970
6975
6980
6985
6990
6995
7000
7005
7010
7015
7020
7025
7030
7035
7040
7045
7050
7055
7060
7065
7070
7075
7080
7085
7090
7095
7100
7105
7110
7115
7120
7125
7130
7135
7140
7145
7150
7155
7160
7165
7170
7175
7180
7185
7190
7195
7200
7205
7210
7215
7220
7225
7230
7235
7240
7245
7250
7255
7260
7265
7270
7275
7280
7285
7290
7295
7300
7305
7310
7315
7320
7325
7330
7335
7340
7345
7350
7355
7360
7365
7370
7375
7380
7385
7390
7395
7400
7405
7410
7415
7420
7425
7430
7435
7440
7445
7450
7455
7460
7465
7470
7475
7480
7485
7490
7495
7500
7505
7510
7515
7520
7525
7530
7535
7540
7545
7550
7555
7560
7565
7570
7575
7580
7585
7590
7595
7600
7605
7610
7615
7620
7625
7630
7635
7640
7645
7650
7655
7660
7665
7670
7675
7680
7685
7690
7695
7700
7705
7710
7715
7720
7725
7730
7735
7740
7745
7750
7755
7760
7765
7770
7775
7780
7785
7790
7795
7800
7805
7810
7815
7820
7825
7830
7835
7840
7845
7850
7855
7860
7865
7870
7875
7880
7885
7890
7895
7900
7905
7910
7915
7920
7925
7930
7935
7940
7945
7950
7955
7960
7965
7970
7975
7980
7985
7990
7995
8000
8005
8010
8015
8020
8025
8030
8035
8040
8045
8050
8055
8060
8065
8070
8075
8080
8085
8090
8095
8100
8105
8110
8115
8120
8125
8130
8135
8140
8145
8150
8155
8160
8165
8170
8175
8180
8185
8190
8195
8200
8205
8210
8215
8220
8225
8230
8235
8240
8245
8250
8255
8260
8265
8270
8275
8280
8285
8290
8295
8300
8305
8310
8315
8320
8325
8330
8335
8340
8345
8350
8355
8360
8365
8370
8375
8380
8385
8390
8395
8400
8405
8410
8415
8420
8425
8430
8435
8440
8445
8450
8455
8460
8465
8470
8475
8480
8485
8490
8495
8500
8505
8510
8515
8520
8525
8530
8535
8540
8545
8550
8555
8560
8565
8570
8575
8580
8585
8590
8595
8600
8605
8610
8615
8620
8625
8630
8635
8640
8645
8650
8655
8660
8665
8670
8675
8680
8685
8690
8695
8700
8705
8710
8715
8720
8725
8730
8735
8740
8745
8750
8755
8760
8765
8770
8775
8780
8785
8790
8795
8800
8805
8810
8815
8820
8825
8830
8835
8840
8845
8850
8855
8860
8865
8870
8875
8880
8885
8890
8895
8900
8905
8910
8915
8920
8925
8930
8935
8940
8945
8950
8955
8960
8965
8970
8975
8980
8985
8990
8995
9000
9005
9010
9015
9020
9025
9030
9035
9040
9045
9050
9055
9060
9065
9070
9075
9080
9085
9090
9095
9100
9105
9110
9115
9120
9125
9130
9135
9140
9145
9150
9155
9160
9165
9170
9175
9180
9185
9190
9195
9200
9205
9210
9215
9220
9225
9230
9235
9240
9245
9250
9255
9260
9265
9270
9275
9280
9285
9290
9295
9300
9305
9310
9315
9320
9325
9330
9335
9340
9345
9350
9355
9360
9365
9370
9375
9380
9385
9390
9395
9400
9405
9410
9415
9420
9425
9430
9435
9440
9445
9450
9455
9460
9465
9470
9475
9480
9485
9490
9495
9500
9505
9510
9515
9520
9525
9530
9535
9540
9545
9550
9555
9560
9565
9570
9575
9580
9585
9590
9595
9600
9605
9610
9615
9620
9625
9630
9635
9640
9645
9650
9655
9660
9665
9670
9675
9680
9685
9690
9695
9700
9705
9710
9715
9720
9725
9730
9735
9740
9745
9750
9755
9760
9765
9770
9775
9780
9785
9790
9795
9800
9805
9810
9815
9820
9825
9830
9835
9840
9845
9850
9855
9860
9865
9870
9875
9880
9885
9890
9895
9900
9905
9910
9915
9920
9925
9930
9935
9940
9945
9950
9955
9960
9965
9970
9975
9980
9985
9990
9995
10000
10005
10010
10015
10020
10025
10030
10035
10040
10045
10050
10055
10060
10065
10070
10075
10080
10085
10090
10095
10100
10105
10110
10115
10120
10125
10130
10135
10140
10145
10150
10155
10160
10165
10170
10175
10180
10185
10190
10195
10200
10205
10210
10215
10220
10225
10230
10235
10240
10245
10250
10255
102

5

20

25

Computer Software Updates: For distribution of updates to software products, the original distribution version of the software product can provide registered users with an appropriate ID code

and update schedule. Should the revision be delayed, a revised schedule can be fetched.

Tax or other governmental filings and exchanges: An example of the generality of the inventive information transport system for sending and fetching well-defined information objects of many kinds is in the filing of tax returns. A send information object can be created and manifested to submit electronic tax filings to the IRS, as described above, for electronic product order forms. A fetch object can be created to obtain updated tax forms and the program logic relating to them, and to get information on new regulations. Analogous uses will be apparent to those skilled in the relevant arts of, for example, financial planning and portfolio management systems, to obtain current statistics, place orders, and the like.

Packaging of Transporter with User Interface/Database Search Software Facilities

In a modified embodiment, the inventive information transport component 14 is integrated with a general purpose user interface/database search (UI/DB) software package and tools. Such packages and tools, sometimes referred to as "authoring packages", are now used to produce CD-ROM's and similar information products. Thus a single UI/DB product may contain the inventive information transport component 14, and be supplied to publishers to be used to develop a family or diversity of information products, as a standard tool box.

A combination of the inventive information transporter product with such UI/DB products could facilitate development of applications by allowing much of the work of integrating a containing product's user interface 28 and database functions 30 and 32 (which could be controlled through the UI/DB product) with the inventive information transport component 14 to be performed once, in advance, by a UI/DB software vendor's skilled specialists, for use in a diverse range of products using that vendor's software. Such integrated offering would be advantageous to both the software vendor (by enriching its offering) and to the software vendor's publisher-customers by facilitating the desired function.

Electronic Product Distribution Service

5 In a valuable application of the novel electronic information transport products of the invention, remote server 22 can be operated to provide an electronic data product distribution service for multiple containing information products 12, each equipped with an information transport component 14, the whole facility providing a complete network distribution service, including network, technical and end-user support. Provision of such a distribution service is greatly facilitated by the novel transporter 14, described herein, the use of which for each vended product greatly simplifies the problems of handling updates to multiple products. However, such a novel service could also be operated with conventional software communications products by relying upon users of each to execute an appropriate sequence of menu selection and command line instructions to obtain an update by modem via their own pre-existing communications software. Similarly, While special advantages of seamless user adoption and integration into an original product accrue from the use of the inventive transporter to distribute product updates, such a distribution service can be used with advantage to distribute any type of electronic information product.

10
15
20 For many publishers (and for providers of UI/DB authoring software) the task of operating a publicly available server 22, and of supplying associated technical support to a wide base of customers using a diversity of communications products, even with the simplification benefits provided by the inventive transport product, is a task requiring specialized skills and staffing that a publisher, even one experienced in electronic publishing, will generally lack. Such a specialist capability is intimidating to provide and difficult to cost-justify for the limited number of information products that one publisher can supply.

25 By providing a new turnkey service or service bureau a specializing, skilled vendor would enable the publisher to avoid such burden. A provider of such a novel service can spread the costs of such operational activities and skilled staff across a large number of publishers and information products, achieving economies of scale and specialization.

The inventive information transport products extend to software implemented at server 22, or at one or more clients or satellite servers, of a network served by server 22, to provide the server-location functions of such an electronic product distribution service. Such distribution software can be separately marketed to publishers or UI/DB vendors who wish to operate such a service.

5

Gatewayed, "Open" Server

Example 4, above, shows how information transporter 14, as well as server 22 can remain simple yet provide a highly general and extensible service. In that example, server 22 provides the functionality of a general-purpose transaction gateway or interface to an external function processor. In this particular case, the external function processor gatewayed by server 22 via vendor link 50, is the merchant's order processing system, which receives the order, determines its disposition, and responds with order status information which is relayed back to server 22 for return to the customer as a response object in accord with protocols 38 and 44. The user need not be aware of such complexities, nor do the client transport components 14 of the inventive product need to be aware of, or provide information for remote routing via vendor link 50. Only the server 22 needs this information, and server 22 needs only to know that send objects with names that fall within a specified class for a specified product ID, must be forwarded to a specified external processor, and that the corresponding responses from that processor must be routed back to an originating client as response objects. Thus the inventive information transport component 14, by virtue of its simplicity has general applicability and many uses, as described herein and as will further be apparent to those skilled in the art.

In implementing an ordering service using the inventive information transport component 14, order and response objects are preferably formatted by the containing information product 12 to be consistent with existing or future electronic data interchange (EDI) standards which define protocols and formats for data interchange between customers and vendors. The information transport component 14 and the server protocol 44 provide the low-level EDI transport functions and

are independent of object content defined by higher layers of the EDI protocol. Preferably, the server has added routing layer information to move objects to and from the external processor.

To provide a suitable EDI-compatible function, server 22 can be programmed with such higher layer EDI routing data for its exchanges with the merchant's external processor. Employing such a gatewayed system, a single EDI network connection can be used to connect the server 22 to a large number of different merchant processors anywhere in the world, across wide area networks and links between same, for example Internet.

This concept of an "open" server, providing a gatewayed pathway for information objects to travel between a wide base of users and one or more remote vendors or other object sources is greatly facilitated, or enabled, by employment of the inventive transporter 14 which effectively provides a protocol translation function enabling a simple information transport service to be offered which is easy and economical to use, both for the end user and the vendor or information supplier. Such a transport service compares favorably, for its intended information transport purposes with broader function and more complex of full online services, such as COMPUSERVE (trademark), and the like, described hereinabove.

Further Embodiments with Broadcast, Subscription Delivery and On-demand Capabilities

Receipt of broadcast data: As an alternative to modem-based wireline or wireless calling to a server and requesting data objects, the information transporter system of this invention can be beneficially employed in a broadcast information distribution system wherein data information objects are contained within a broadcast data stream with recipient communications devices tuned to identify and receive from the broadcast specific data elements to which they are entitled. On the Internet, such broadcasting to a selected group of recipients is called "multicasting."

Broadcasting can be airwave broadcasting via satellite, FM, or TV subchannels in the manner, for example, used by Mainstream Data Ltd. for the broadcast of news wires. Alternatively, the broadcast data stream may be cable or line transmitted, for example, over cable television systems. Minor extensions to API's 40 and 42 could accommodate such a facility. A modified setup
5 function could alert a user's receiving communications device to watch for receipt of data objects identified as relating to the original or containing information product, and to capture and hold identified objects in temporary storage. A schedule transport function can then be set to fetch the received data objects from temporary storage and prepare them for use.

Subscription delivery: Although the invention has been described as being particularly applicable to the solution of problems arising in distributing updates of original or previously purchased or delivered electronic information products, those skilled in the art will appreciate that, many of the benefits of the invention can be obtained without any initial information content being delivered to the user with the original product. The user could simply receive the information transporter 14 and all product information could be received subsequently, after installing the information transporter 14, in the form of fetch objects transmitted from a remote server or other suitable source. For example, a newsletter service could provide a disk with the transporter and a user interface, but with no initial information content. As the transporter 14, operating at the user stations, automatically fetches new issues according to the newsletter schedule, the information is,
20 in effect, pushed down a channel from the distribution server for delivery to the base of subscribing users.

Information-on-demand services: In another embodiment, providing an information product on demand service, vendors can freely distribute a novel electronic marketing product comprising a transporter on diskette, along with a simple user interface and a catalog of information
25 product items available from the vendor, without including the products themselves. Such an electronic marketing product could be distributed through the mail, as a magazine insert giveaway, or through any other suitable marketing medium. The transporter could be activated at any time by

the user to call in and fetch a cataloged product, as well as a current catalog, possibly after sending a credit card order form, or the product price could be paid to the vendor by obtaining the product from a 900 number providing vendor reimbursement from the telephone network.

5

Open Architecture Online Service Access

In a further aspect, the invention provides an information transport component 14 that functions as universal or generic client interface software, enabling a user client to work with any one or more of many online server-based information distribution services.

Many online information distribution services used to disseminate electronic publications comprise intelligent user interfaces which employ a client component running on a customer's personal computer (PC) to communicate with a central server facility operated by the online service, by means of a proprietary protocol. The client interface packages are proprietary to a particular online service.

Prospective publishers wishing to offer electronic products online, contract with online service providers to enable customers to use the online service's client software to access the publisher's material and related online communications services (bulletin boards, etc.) on the services' servers. The publisher is limited to using the presentation facilities provided by the user interface in the online service's client software. This limitation impedes migration of publisher offerings and makes it difficult for either a customer or a publisher to swing information transport component 14 access from one service provider to another because each service requires its own software package.

25

Third party interface developers cannot contribute to such online interfaces for a publisher without the cooperation of the online service provider which may be difficult or impossible to obtain. Accordingly, only limited user interfaces with moderate sophistication and variety can be offered.

Accordingly in another aspect, to provide open architecture online service communication, the inventive information transport component 14 can be embodied as a flexible client interface which can be actuated to operate with any one of a number of online services by providing a generic client interface foundation API (application program interface) combined with a set of translators and protocol drivers capable of communicating the user's functional requests to any one of a set of
5 online services, using their corresponding proprietary protocols.

In this aspect the invention permits publishers to develop highly sophisticated and individualized user interfaces independently of the limitations of the online service providers' capabilities. Such enhanced user interfaces are attractive to publishers seeking differentiation of their products by providing an appealing individualized interface with a signature look and feel. In contrast, online service providers seeking to economically carry content from many publishers provide generic interfaces acceptable to all.

By incorporating operational translators for a number of online service protocols, which translators fully adhere to the detailed specifications of each protocol, a multi-service capability can be provided.

Online services generally provide similar types of services with nearly standard functions and similar user interfaces. Major service types include bulletin board, chat, electronic mail, document
20 browsing, and database search. Use of creative typography, layout, graphics, and other artistic elements to offer the presentation quality and variety typical of print media is desired by publishers using this medium.

The invention facilitates this end by providing open development platforms for development of advanced interfaces while shielding developers from the complex details of communication with an online server. The shielding is accomplished by providing an API which supports communications service requests at a simple functional request level.

Referring to Figure 3, multiple targeted online services 80, can be accessed by a client interface 82 comprising any of multiple graphical user interfaces 84 driving a generic API 86 which works with plug-in translator/communicator modules 88 which are provided to communicate one to each targeted online service 80. Modules 88 mimic the online service's protocols, so as to be essentially indistinguishable from the proprietary interfaces normally used. A communications manager 90 receives input from API 86 and outputs through protocol mapper 92 which selects the appropriate protocol.

In this embodiment, for use with full-function online services, the functions of API 86 and protocol 88 are extended to support extended, open-ended interactive sessions and the more varied client-server interaction needs of session-oriented interactive online applications such as bulletin board posting and browsing, online chat, electronic mail, database and menu browsing, and database search.

Similarly, in the aspect shown in Figure 3, the invention can be provided with the same kind of additional flexibility with regard to the user's connection to server 22 as the invention can provide for more basic fetch and send functions. While the inventive client server protocol 38 and 44 is particularly suited to the functions described, other existing or future services and corresponding protocols could be used, if necessary with adaptation, to provide workable services for use in conjunction with transport component 14. Such use may require modification of communications module 36 and protocol 38 by the addition of a protocol mapper 92 and appropriate server protocol plug-in 88 to communicate to an alternative server.

In either case, such added flexibility in use of the inventive product increases a publisher's choices in selecting server and network facilities through which to distribute information products, and enables the publisher to offer fully customized user interfaces for use with multiple, or any one of multiple server and network services which do not provide for such customization. In this embodiment of the inventive transport component, a containing product can offer a unique custom

interface and provide for access to additional information products from such varied source facilities as the Internet, full function online services, emerging groupware network services, conventional bulletin board systems, and future network services using wireless or cable television technology.

5 While the invention can provide a flexible, generic API, in some circumstances, an existing third-party API designed for use with a single specific online service can be combined with an embedded transporter and server protocol mapper to allow products designed to use the third-party API to employ any of multiple servers for distribution, avoiding commercial distribution restraints associated with that API, for example use of a particular server.

10 The inventive protocol mapper 92 can insulate a containing information product from the variations among such services, and can allow a single such information product to be transported through a variety of such services, and to later be moved to other such services by simply selecting an alternative protocol mapper. Multiple such protocol mappers can be packaged within a given information product to permit alternatives to be selected by the end-user from a list. Thus the invention further permits information products and related UI/DB authoring tools to be service-independent and neutral.

15 Figure 4 provides an overview of the use of the inventive client interface accessing multiple publications via multiple remote online services, as well as multiple locally mounted data sources and storing additional retrieved data locally.

20 Enhancements can enable a publisher's service to provide integrated, seamless access to content distributed over several different online services; to seamlessly combine access to both online and local CD-ROM-based content; and to coexist with and share resources with other publishers' services on the user's PC.

25 In summary, the invention provides, in this aspect, a simple, easy-to-use multi-protocol

capability that enables an electronic information object to be transported from a publisher to a wide base of users by any one of a number of online services, without sacrificing individual product identity.

5

Recursive Updating of the Transporter

Another application of the inventive information transport product, or transporter, is a recursive use to update itself, in the same manner that the transporter can update a containing information product. This method can be useful in a variety of ways, including to upgrade the transporter by the addition of new protocol components, new compression techniques, or new network access methods.

An important class of such self-updates is to provide added flexibility in specifying network access procedures. For example, the user setup routine could be extended into a two stage process. In a first stage, each user's transporter calls in to a common pre-set phone number, in order to fetch a second phone number selected according to the user's particular product, location, or some other parameter. The second phone number, or other address, can then placed in the setup as an update, to be used in subsequent transport operations.

20

This two-stage method can provide efficient use of a single pre-set toll-free 800 number for an initial call from any number of different products, which initial call yields a second number corresponding to a specific Product ID, which number is used for subsequent calls.

25

In an advantageous embodiment, the second number is not toll free and may include vendor charges, in the manner of a 900 number. This arrangement enables a system in which users do not pay for initial setup calls (and any failed connections which might result from initial setup problems), but do pay long-distance toll charges, and per call vendor fees if the publisher so desires, for subsequent product information transport from the second number. This two-number process can

be carried out without requiring any phone number entry or selection by the user. Additionally, the second number can readily be changed whenever desired by the publisher, even after product discs have been shipped.

5

User's Station

References herein to a user's station, workstation, computer or terminal will be understood to embrace any "information appliance" or intelligent device having the basic computer-like functions of programmed logic, storage and presentation, or having the ability to support an operating system for managing user input-output with a processor, including intelligent cable television controllers, video game players, information kiosks, wired and wireless personal communicators, and even system controllers such as automotive computers.

Benefits Provided by the Invention

Employing the novel information transport component 14 interacting with remote server 22 through communications protocols 38 and 44, the invention enables the following advantageous objectives and other benefits to be achieved:

- i) simple and easy execution of one or more fetch or send transactions to or from a remote server, by an ordinary, unskilled user with no human interaction at either end being necessary after initiation;
- ii) automated transport of predefined information objects between client and server in a closed-ended fashion, without burdening a client-based user with complex routing logic; and
- iii) creation of an economic, easy-to-use, function-specific, self-contained information transport component 14 software module suitable for mass distribution in a containing information product.

The preferred use of an object manifest in a transport control mechanism which includes transporting the object manifest between client user and server, and referencing the object manifest by user fetch-send protocol 38 and server fetch-send protocol 44 facilitates achievement of the following additional objectives:

- iv) simple, tight-knit control of the communication process and of error handling; and
- v) creation of a transport control mechanism, and thence of an information transport component 14, which operates smoothly and transparently to the user and independently of the information object content or of the nature of the application.

The invention thus provides an information transport software component which can be employed to transport a wide variety of data objects or applications and can be easily incorporated in many different information products to provide multiple novel containing information products 12 with built-in automated updatability or upgradability executable at an appropriate time by simple, user-menu selection or automatically.

Further Benefits

In addition to the benefits of a powerful and efficient information transport method, use of a standard, formalized transporter, its API, and client-server protocol, pursuant to the teachings of the invention disclosed herein, can provide any or all of the following significant benefits to users, information product vendors, application vendors, service providers, tool vendors or others:

- vi) use of a standardized facility to perform a well-defined function in a known way (with available implementations for a varied and expanding set of hardware and software platforms);
- vii) reliance on a standardized facility that can be extensively tested and proven reliable across a wide variety of equipment and conditions;
- viii) reduced need for information product developers (and users, and user interface/database search software vendors) to know and understand the complexities

(and rapid evolution) of data communications;

- ix) ability to build a single functional interface that can smoothly employ a dynamically expanding variety of communications facilities and technologies;
- x) ability to obtain operations and user support services relating to the difficult task of managing a server and its communications with large numbers of end-users;
- xi) user-recognition of the novel information transport facility across a range of unrelated products, establishing a positive brand cachet benefitting users and vendors alike;
- xii) ability to package the transporter facility with other tools, such as a UI(user interface) and database search capability to extend the value of those tools economically and with the ability to gain the benefits described above; and
- xiii) control of communications costs and failures by elimination of human intervention, with its attendant time-consuming delays and errors, from the period during which the user's station is connected in real time communication with remote server 22.

Stated succinctly, by having the novel information transport component rely entirely on a containing information product for all user interface and information presentation functions, there need be no restrictions on the creativity of the containing product imposed by the needs of a third party communications product. Thus the containing information product can present transport functions with any desired look and feel.

Another advantage of the information transport system of the invention is the avoidance of difficult or complex navigation tasks, and the use of simple direct dial communications which are suitable for sessions that are short and infrequent. The inventive information transport products described herein are consistent with or readily adaptable to the needs of many publishers of a diversity of materials, which needs are commonly centered on discrete products and content.

A further advantage of the invention, from the point of view of publishers, is that because

the call is customer initiated, the customer pays transport costs (telephone line charges), simplifying costing for the publisher who avoids having to figure shipment or other transportation costs before sale and build these costs into the price of the product or update.

5 The inventive approach to mass distribution of electronic information products described herein can also provide advantages in high-value environments such as those of Counterpoint Publishing's Federal Register products cited hereinabove, providing a more seamless integration of the fetching of updates received via modem (and selected and extracted by the user from the "Daily Federal Register") with the original product on CD-ROM, the "CD Federal Register". Product installation can be simplified, and a separate user invocation of, and interface to, a general-purpose communications package can be avoided. In addition, by employing the user's pre-existing modem and avoiding need for a general purpose communications product license, significant cost savings can be obtained.

15 The better to comprehend its possible applications and enhancements, embodiments of the invention can be grouped in four levels, as a follows.

20 **Level Zero** A novel basic transport function embeddable in any of a range of electronic information products to provide economical unattended updates.

25 **Level One** Basic transporter 14 incorporating API's 40 and 42 adds a powerful new capability to be used with an electronic information product's custom user interface, optionally enhanced with a database management facility for seamless integration of an update with an original product.

Other options can integrate with relevant third-party packages such as authoring packages.

Level One (Server enhanced) Adds server operation and user support features enabling

publishers to outsource tasks which may be difficult or unfamiliar to them.

Level Two Adds optional translation or use of alternative server protocols enabling an embeddable transporter product to work with many different servers or services including, for example, standard BBS's, Internet servers, and special transport services such as those offered or proposed by communications providers such as AT&T, MCI, Compuserve, America Online and cable television systems.

Level Three Adds a full online service user interface API with correspondingly enhanced client-server protocols to provide for full-function online service sessions with user interface control, ability to work with a range of online services, providing a publisher with flexibility in their use of existing and emerging services.

These four levels of the invention are illustrated schematically in Figures 7-11. Referring to Figure 7, depicting a basic Level 0 embodiment, user 100 employs generic onscreen interface 110 to initiate an update request 112 from a remote source (not shown), for an update object 46. After initiation, for example by clicking on a button in generic interface 110, communication with the remote server and retrieval of the update object 46 can proceed automatically, as described herein. Alternatively, although not shown, similar means could support submission of a send object to the remote server, both at the basic level 0 and in the cases of Levels 1-3.

In the Level 1 embodiment shown in Figure 8, incorporation of APIs 40 and 42 in or with transporter 14 enables the containing information product 12's user interface 114 to be supplemented with object transportation functions. Also shown is a received update object 46 seamlessly integrated with information product 12 using a database management module (not shown) as described in the parent application.

When the Level 1 embodiment is enhanced with a database management module or with an

authoring package a particularly valuable embodiment results, which may be described as a UI/DB-
 package-enhanced Level 1. In many possible applications, product 12 may not be created by original
 programming from scratch, but may be created by employing a standard software package which is
 then customized to integrate the desired publisher's information content with a standard software
 package or toolkit that provides the UI/DB functions. Such a UI/DB package or toolkit can use APIs
 40 and 42 to provide a point of linkage to the transporter 14.

A programmer, developer or other software provider is thus by such an enhanced Level 1
 embodiment to offer a software package which can easily be utilized by many different publishers
 to add whatever content they desire, and gain the advantages of automated, or managed information
 object transport, as described herein, while avoiding any need for the publisher to address the tedious
 and perhaps difficult mechanics of the transport operation.

The software provider can use the inventive transporter 14 as an optional element, or include
 it as part of his enabling product, thus offering added value to the publisher. In doing so the software
 provider can, if desired, set up a standard or readily customizable set of UI/DB elements to support
 the desired transporter functions, and provide all corresponding interfaces to APIs 40 and 42, thus
 relieving the publisher of the need directly to interface to the transporter via its APIs. Such an
 approach of integrating the inventive transporter with a more general UI/DB authoring package can
 also be used to include the inventive transporter component into a more broadly functional offering
 to publishers for the more advanced embodiments of Levels 2 and 3. It will be apparent that if a third
 party authoring package offers an API or system developer's interface for use with its product, the
 integration of the transporter with such package may be best accomplished by creating a special and
 novel interface module which links between that existing UI/DB package's API and the transporter
 APIs 40 and 42. Such an API interface module comprises an element of the invention.

The server-enhanced Level 1 embodiment depicted schematically in Figure 9 shows how
 operation of a server 22 and technical support functions can be off-loaded by an electronic publisher

116 to a server operator 118. Electronic publisher 116 can distribute an information product 12, which may be complete with content, or may be merely an enabling shell, directly to users by whatever means is appropriate including distribution on physical media and electronic downloading. Updates are then furnished to server operator 118 to complete distribution of updates to appropriate users. As will be apparent, updates may embrace essentially any desired information or content, including original content intended to fill a previously distributed shell.

As shown, transporter 14 can be contained in each of a number of information products 12 distributed by one or more publishers to one or more sets of customers. Multiple information products 12 can be updated from a single server 22 or a server 22 may be dedicated to each individual product 12. The electronic publisher is thus relieved of the expense of replicating and distributing updates, or of the technical challenges of maintaining their own distribution server 22.

If desired, integration between a fetched object and original information product content can be effected by a separable content integration module for seamless viewing or processing by the user of combined local and remote content. The integration module can comprise the user interface and database integration tools, and may or may not contain the transporter 14. Such an integration module, with or without the transporter, may, subject to customization to meet the purposes of the invention, be obtainable from third parties.

The Level 2 embodiment depicted in Figure 10 illustrates how the invention enables great communications flexibility to be easily included into their products by publishers or producers and, in turn, put in the hands of even novice users simply by equipping transporter 14 with multiple protocols enabling the user automatically to access any one of multiple servers 22 or other remote communications facilities (by including multiple protocol plug-ins, as illustrated in Figures 3 and 4 and described in the parent application page 78, line 12). Illustrated, by way of example, are an Internet server 22, or Internet point-of-presence, through which all or any server on the Internet may be accessed; a BBS server 22, or "bulletin board" server for access to low-cost direct-dial servers

; and a third route to any other desired remote communications-equipped server, which may include commercial online services, is also shown. By channeling communications and remote data retrieval to the user via the containing information product 12, a seamless presentation through the information product 12's distinctive user interface 114 can be made. For example, a stock management product could access one remote server to update prices of the users stocks and a bulletin board to obtain current news items of the company whose stock has been updated.

In another application of this Level 2 embodiment depicted in Figure 11, transporter 14 includes multiple client-server protocols enabling it to access any one of several online servers I, J and K. This embodiment enables a publisher to distribute product and permit the user to update or supplement it via whichever online service they happen to use, or subscribe to, thereby enabling a publisher to economize on the server function by using an established online service, yet reach the widest possible electronic consumer base by reaching users through any one of multiple services, e.g. CompuServe, America Online, Prodigy, Microsoft Network or other proprietary online service, or Internet access provider, each of which may have limited accessibility determined by market scope, geography or technology or the like.

The inventive transporter enables the publisher to accomplish this with a single, uniform interface to APIs 40 and 42, and thus without need to implement costly program interfaces specific to each online service. As described in the parent application, a preferred embodiment of the protocol plug-in maps the APIs 40 and 42 to any suitable pre-existing API available for use with a target online service, such as is offered by CompuServe for connection to its online service, or for use with an Internet server. (Alternatively, a converse translation could be effected: APIs 40 and 42 could be overlaid by a layer that simulates a pre-existing protocol used by a containing product 12 to communicate with a single online service I, thus allowing it to be retargeted to other online services J or K or other servers 22, without significant program change to the containing product.)

The Level 3 embodiment, as described in the parent application, can also be depicted using

Figures 10 and 11, where in this case the connection protocols are enhanced to support full, continuing online session functions such as browsing, search, and chat.

Level 0 enables a user to retrieve remote information objects such as information product content or software updates, or send in information objects such as product registrations, or orders or inquiries, in an automatic, unattended manner after initiating the communications process with, for example, a single mouse click.

Level 1, by providing suitable API functionality, enables automated object retrieval (and send) functions to be integrated into the information product's own interface, a significant user and marketing advantage. Level 1, UI/DB-Package-Enhanced, integrates with authoring packages to simplify the information product producer's task even further. Level 1, Server Enhanced, by including server functionality, provides a complete service for a publisher.

Level 2 enables information objects to be fetched or retrieved, or to be furnished from pre-existing commercial services, with which the user may already have established communication channels, for example by subscription and enables a publisher to reach most or many users via a small number of pre-existing commercial online services. In addition, Level 2 enables a user to integrate local content, available from the user's local physical media, hard drive or optical disk for example, or locally created content with online content drawn from online sources or the Internet.

Level 3 enhancements of transporter 14, and especially of APIs 40 and 42 can permit tight-knit, seamless integration of appropriate content in fully online modes, giving the user an open-ended feeling of continuity between their own local resources and retrieved remote content. This facility is of particular value for sophisticated multimedia applications which may require content from multiple sources to be assembled into a coherent work such as a television commercial, a training video or "mini-movie", using moving video frames, text content. voice, photographs, special effects and so on, for highly interactive processes such as extended, free-flowing browsing and searching

of relatively unbounded network content, and where dynamic contributions or interactions among multiple participants are to be accommodated, as in conferencing or real-time gaming applications involving interactions between multiple network users.

Equivalent Networks and Interface Devices

The invention described in the parent application addresses, *inter alia*, the problems of moving digital information objects across a telephone network between a remote source and a disparate body of users and provides a transporter which simplifies and automates transport enabling even novice users to exchange pre-specified objects with a remote source via the telephone network using modems or equivalents. It will be apparent to those skilled in the art that, unlike a local area network ("LAN"), a telephone network, the phone numbers of which may be regarded as network node addresses, nevertheless lacks a distributed file management system for simple transport of files between nodes. Functions such as verification of safe receipt of information objects are readily effected on a local area network, for example by executing a directory listing of a remote node address, and much more sophisticated transport management capabilities can and are readily provided by network operating systems, network utilities, network management applications and so on.

A fully functional distributed file management service, such as is provided by a local area network (sometimes called a distributed I/O service, "I/O being an abbreviation for "input/output") permits remote files to be manipulated and accessed via the user station's operating system's normal file I/O read/write and move/copy commands, much as if the file were on a locally attached device (once appropriate access permissions have been enabled), without the complicating need for special, supplementary remote file access protocols such as File Transfer Protocol (FTP). As explained in the parent application, LANs impose burdens including significant initial costs and setup requirements, homogeneity and complexity at the nodes, login difficulties and so on, which problems are not shared by the ubiquitous telephone network to which anyone may successfully connect with

a diversity of computer and modem or equivalent equipment.

It will be apparent that the benefits of the invention are obtainable when using other mass-market communications networks equivalent to a traditional telephone network which equivalent networks lack basic file management capabilities. Some such equivalent networks, which may or may not include file management capabilities, and which may be deployed over telephone network hardware, or interface therewith, include ISDN, ATM and ASDL as well as off-air services such as cellular or CPCD and as well as, cable television networks for which computer connectivity is emerging in 1996 (as foreshadowed in the parent application). Such various networks will usually require their own interface device, for example an ISDN board or a cable modem, which for the purposes of the present invention, and to the extent that they are deployed on networks with a lack of distributed file management services (or where such services cannot be relied upon to be available to any given user whenever needed), will be equivalents of ordinary telephone modems. The Internet as well as proprietary online services or other wide area data networks, especially public networks such as those using the X.25 standard (as referenced in the parent application) also generally lack distributed file management services. References herein to "direct dial-up communication" and "telephone network" are intended to include such equivalent networks lacking distributed file management services, including the Internet, and references to a "modem" include such equivalent network interface devices.

Products with Multipath Hybrid Access to a Remote Source

The invention can provide an information product with multipath hybrid access to a remote source, enabling a user of the product to receive updates from, or otherwise communicate with a remote source. Pursuant to such a preferred embodiment, an electronic publisher, or other vendor, can combine, on a consistent basis in a single product, automated online access to the Internet, (or other data network with or without file management capabilities) with dial-up access to enable a user to connect with the publisher's server via whichever online service the user already employs for

Internet access or else via direct dial-up access to the publisher's server, in the event that the user is not a subscriber to one of the online services for which a protocol is provided. The access path can either be user-selected or may be automatically software-selected according to what installed modules are found on the user's computer.

5

This embodiment is valuable for publishers desiring to reach a mass market of computer users with a product that is readily updated in the most practical way. As at early 1996, in spite of the immense publicity received by the Internet, the majority of modem-equipped computer users do not have Internet access, nor do a large percentage use any other online service, except where the context indicates that the specific, ordinary meaning is intended. This is particularly true of home and small business computer users, who constitute a desirable market for many publishers.

Internet Applications

Internet access is relatively complex for an inexperienced computer user to set up, and usually requires commitment to a monthly subscription, yet once set up it is easy to use. The multipath hybrid access embodiment of the invention has the advantage of enabling those users who have Internet access to enjoy the functionality, speed and economy of a network path via the Internet, while other users, a vast market, can simply use dial-up access via the telephone network: they are not required to go to the trouble and expense of establishing an Internet or online service capability. Some users may employ multipath access capabilities to use different access paths according to circumstance, for example, using a network access path from the home or office and direct dial-up on the road where their proprietary online service, or other network access route may not be available.

25

Since the Internet is not expected to reach the majority of such other users for some years this embodiment is particularly advantageous for publishers desiring to reach a mass market. Products that automate communications via an online service yet omit dial-up capabilities will exclude a large

number of prospective customers. Technically, no special effort need be made to provide Internet access to users who do not have the capability: it is simply used if present on the user's computer. However, the addition of a facility to set-up a new Internet or online service subscriptions in a further expanded embodiment of the invention will be valuable to some users. Components for such new-
 5 user set-up are commercially available for example from Internet software and service vendors, and can be combined with suitable elements of the inventive transporter component to give the user added options.

Although at the date of this application the Internet is such a dominant world-wide communications force it is hard to contemplate alternatives networks, they may arise, and indeed local organizational equivalents embodying some of the advantages of the Internet's standardization and hypertext capabilities are emerging and have been dubbed "intranets". Equally, comparable or competitive wide area networks based on substantial new or existing infrastructure may emerge. Cable television networks might provide such an infrastructure base. In most cases, relevant aspects of the invention, as described herein in connection with the Internet will also be applicable to such alternative networks and intranets, to an extent that will be apparent to those skilled in the art. As described above under the heading "Equivalent Networks", like telephone-like switched point-to-point networks, unlike local area networks supported by a homogenous network operating system maintaining a shell at every node, more heterogenous data networks such as intranets and the Internet
 20 do not generally support and provide full distributed file management systems enabling digitized files to be manipulated in the same way as local files, although they generally provide for more limited services using protocols such as FTP or HTTP (hypertext transport protocol) which permit files to be copied from one node to another with one or a few simple command line instructions. However, block transfer, for example to read one or more records from a database file, are either not,
 25 or not readily, accomplished. Nor can a remote program be executed.

Referring to their Internet origins and choosing to characterize them by important features of the World Wide Web (though other features might be used) the intranets and Internet-like

networks described in the preceding paragraph can be termed webbed data networks and are notable for having multiple remote data servers supporting hyperlinked data resources. Such webbed data networks achieve much of their utility from employing a standardized object preparation language, e.g., HTML, and a standardized file transfer or access protocol for platform-independent transport and utilization of objects on the network.

Unless a different meaning is clearly required by the context, the term "web" is used herein to connote an array of hyperlinked information objects stored at one or many locations on a network.

Transporting Information Objects to and from Web Browsers

As described in the parent application, the inventive transporter component can be advantageously used to facilitate transport of information objects across the Internet to and from containing information products 12, by automating access to the Internet and to a predetermined Internet site or resource. It can also be used for transport across other network facilities, including direct-dial, and many different user interfaces and content formats can be accommodated. It will be apparent from that disclosure that one such particularly useful embodiment of the containing information product 12 is that of a web browser, as a UI/DB package which can incorporate transport component 14 to provide an alternative, dial-up route of access to Internet servers that also support dial-up access via a telephone or equivalent network, or whenever use of the transporter's short-burst mode of closed-loop communication session is desirable. Similarly, such access can be provided indirectly via a separate dial-up server which contains, or has access to, the content which is also accessible via a Web server, or equivalent content.

Some known web browsers are discussed in Rick Ayre *et al.* "Web Browsers", *PC Magazine* Vol. 14, No. 3, (February 7, 1995) pages 173 *et seq.* As reported at page 175, column 1, web browsers can be embodied as operating system components, for example OS/2 Warp (trademark, IBM) and Microsoft's Windows 95 (trademark). As operating system software expands and

assimilates what were once free-standing, or separately marketed software utilities, for example, memory managers, disk compression utilities and backup programs, distinctions between what is operating system software, or a utility or small application, become more commercial or market-based than technical. Similarly, communications services provided by Web browsers (such as HTTP protocol access) and other similar Internet tools (such as for FTP protocol access) could also be useful as software facilities on which to build transporter protocol plug-ins, and it will be apparent that use of any such available software components is contemplated by the invention, for example, as comprehended in the discussion of protocol plug-ins in the parent application.

World Wide Web

Internet sites using the World Wide Web, "Web sites", present their resources via what are called Web pages, including top level pages called home pages and a linked network of other Web pages. Web pages may be accessed and viewed with a Web browser program which provides standard graphical user interface and data presentation functions to apply format controls coded into the Web page using a standard format to enable a visitor to the site to browse the site's resources via textual and graphic information, drop-down contents and catalog lists and via search windows with varying degrees of functionality.

Keys to the explosive growth of "the Web" are the use of standardized communications protocols ("HTTP", hypertext transport protocol) and data content and formatting coding language (e.g. hypertext markup language "HTML") to effect real time transfer of interactive images (Web pages and related content or services) across the Internet, using digital packet addressing. Sponsors or suppliers of Web material can use their Web pages as an interface to provide substantially any desired content.

In early 1996, today's format is HTML which is a currently popular embodiment of Standard Generalized Markup Language (SGML), a complex standard, adherence to which provides the

widespread readability of Internet documents. HTML provides a format to describe the design of a document and its connection to other documents accessible via the Internet, using hypertext links, or "hyperlinks". Alternative content formats such as Adobe's ACROBAT (trademark) provide similar formatting for use with a suitably augmented browser, and other such formats may emerge and evolve. Adobe's ACROBAT is an example of an authoring system or application which creates information objects that are integrated with their own display or utilization, applets (mini-applications) or tools, for platform-independent viewing or playing of the objects.

Typically, Web pages contain both internal hyperlinks to site features and external hyperlinks to other sites and they may also permit activation or downloading of sound, multimedia or other more sophisticated content. Such hypertext links, or hyperlinks, provide immediate initiation of a connection to an information resource for retrieval of an image, in response to a mouse click or two. Hypertext links use uniform resource locators known by the acronym "URL" to find resources on the Internet. The URL identifies the location of a file on an Internet server by a server address such as <http://www.uspto.gov> and a more or less extended directory path to a filename for a specific page or tag within a page, if it is a Web site, or other data source.

Many thousands of commercial organizations use the Web for publishing, for customer service, for distributing product information via catalogs and the like, and for online sales. Content varies from a few simple text paragraphs to large and complex data suites providing multimedia presentations, games or other entertainments with audio, video and animation. New uses of the Web and methods of doing business are continually being invented.

A Web browser is an application running at the user's station which can access search engines, find and retrieve Web pages using URLs, and assemble the retrieved elements of text, graphics, sound and video, if present, into a coherent printable document or playable presentation. Typically, a Web browser also provides a variety of tools to make "hot lists" of the user's preferred sites, to effect various file and connection management functions, and so on.

Some drawbacks of the Web are that conventional Web access reaches only a small proportion of households with personal computers and modems, (a 1995 estimate is that only about 21 percent of 27 million households with personal computers had Internet access); that such access is generally available only by continuing subscription through an access provider service by paying a minimum monthly fee; that connection time can be expensive; and that Internet access is subject to congestion and interruptions, or loss of connection. For a commercial content provider desiring to reach a mass market, these are important limitations.

Information Object Distribution System for Webbed Networks

To overcome these and other problems, the invention provides an information object distribution system for webbed networks, such as the networks described above, which system comprises:

- a) a web site server at a web site on the network and supporting hyperlinked information objects accessible to network users;
- b) a web package server having an open-ended connection to a telephone network for data exchange with desiring ones of said network users directly via said telephone network and supporting one or more web packages comprising selected ones or sets of interrelated ones of said hyperlinked objects whereby said desiring network users can obtain said selected hyperlinked objects by direct dial-up connection to said web package server;
- c) at least one web browser at least one of said user stations to retrieve and view information objects maintained locally or at said web sites on the network, said web browser being capable of following hyperlinks between objects locally or on the network; and
- d) also at said one user station an information object transporter for automated retrieval of one or more of said selected information objects from said web package server by direct telephone connection, said transporter being operable in unattended mode after

initiation to retrieve one or more pre-specified objects from said web package server to said user;

wherein link rationalization is provided to enable appropriate hyperlinks to be followed to retrieved information objects stored at said one user station; whereby a user at said at least one user station can choose to retrieve one or more of said selected information objects either via said browser and said webbed network or via said transporter and said telephone network, and utilize said retrieved selected information object at said user station.

Offline Browser

In this aspect, the invention also provides a computer- implemented offline browser system for offline browsing of locally stored Web pages, which offline browser system is suitable for distribution to a mass market of users, (or to a small group) and for operation at a local computer station, and which comprises;

- a) local content elements for at least one local Web page, said content elements being intended for storage at said local station;
- b) an offline browser to access and present said content elements via said local Web page; and
- c) a transporter, being an information transporter component, as described herein, initiatable from said local Web page, automatically to effect a dial-up connection, or its equivalent, to a desired remote information source and retrieve at least one preselected or pre-specified new content element to update or augment said local Web page;

whereby said offline browser can be utilized to access said new content elements via said local Web page and provides user interface function for such new content access. Preferably, the browser also includes conventional online browsing capabilities.

Such offline browsing in which hyperlinks may be actively pursued, may be termed "active"

offline browsing to distinguish from mere passive viewing of the content, or web pages, wherein hyperlinks are either non-responsive, or yield errors.

At least some, if not all, of the local content elements are accessed from a Web page loaded, by the local Web browser, via active screen elements such as hyperlinks, search boxes, dialog boxes, selection buttons and the like. If the local Web page is a carbon copy of a Web site page, then some or all of these active screen elements will use URLs to locate desired content elements and these URLs may point to Internet addresses such as the originating server rather than to local storage at the local station, preventing the browser from operating in the desired offline mode.

To solve this problem, the invention also provides a link manager and relocater function to adjust the hyperlink coding as needed to enable the Web browser to retrieve Web page content elements from local storage. The link manager can be either static or dynamic. A static link manager can be embodied in preprocessed Web pages or content as a simple rewriting of the original URL to a suitable local path, and filename as well, if appropriate. Such a static locator device is appropriate for a shipped product supplied on physical storage media, and may be appropriate for updates supplied via direct modem-to-modem connection or equivalent, but a dynamic locator is more flexible and can be used for content elements or pages retrieved online from one or more Web sites especially for rapidly changing or complex content and advanced functions such as searching and transaction handling. Such a dynamic locator can work with pre-existing URLs, as found on the Web site and redirect them on-the-fly to local resources. Embodiments of the invention may place this link manager/relocater at the server or at the client, and the static embodiments may be effected by either programmatic or manual procedures, as desired.

It will be understood that the above-described offline browser is quite distinct from conventional applications, including even sophisticated word processors, being distinguished, *inter alia*, by its ability to work online, when necessary, to search the Web and retrieve information objects from it, employing hypertext links to remote resources and using the Internet's Transmission

Control Protocol and Internet Protocols, or equivalents. Preferably, the local browser comprises search, display and hyperlink capabilities comparable to those provided by a conventional Web browser, with adaptations, as necessary, to enable local browsing of the content at the local station. Such adaptations may include the link manager; a local search filter for a Web search engine; and
5 modification of an online browser to load and run locally without automatically initiating access to the Internet. In a preferred embodiment the offline browser is developed from a standard online browser product, available from any suitable source, modified and adapted as necessary to provide the offline mode functionality described herein.

10 However, a very simple offline browser according to the invention may eschew direct Internet online access capability and be designed to work only with locally stored Web pages, updates and new content elements being received on physical media or via a dial-up connection. Especially if the local browser and station have multimedia capabilities, and the local content elements have auto-play capabilities such as are provided by Sun Microsystems' JAVA (trademark) language, ability of the browser transparently to access multiple resources, CD-ROM, DVD (digital video disks), hard disk, etc. by simply clicking "hot button" hyperlinks can be employed in various
15 new products. For example, a multimedia music product can combine the music with text, still pictures or video about the artist, and permit locally stored updates to be seamlessly merged with original content.

20 The new content element can be an update of a local content element and, preferably, is also locally stored and is transparently accessed and integrated with other local content elements for viewing or processing by the user, for which purpose the herein described user interface and database modules are those provided by the offline browser which acts in the role of a containing information
25 product.

Richer products will provide multiple Web pages for offline use and may comprise large numbers of content elements which are updated with, or supplemented by, multiple new content

elements fetched as a package.

Such an offline browser system can be distributed by a commercial sponsor or content provider to simulate their Web site in a standalone environment without the expense, difficulty and inconvenience of establishing an Internet subscription connection for those who do not have one. To this end, selected Web site content, providing one or more pages, which may have a customized look chosen by the commercial sponsor, "local pages" hereinafter, can be supplied on physical media such as CD-ROM or diskette and updates can be automatically fetched by the transporter. The combination of offline browser and local pages may be seen to be another embodiment of the containing information product described in the parent application. The user interface, database management and other data integration functions described in the parent application are provided by the browser (augmented if necessary) , in such an offline browser embodiment of the invention.

Of course, as described above, the offline browser system can be distributed as a shell which uses the transporter to fetch completing elements and content from a remote site, via a telephone network or equivalent network. By disconnecting, automatically if so desired, when the specified information object transport operation or operations has or have been completed the transporter of the invention limits line or access charges. In contrast, with conventional online Web browsing time charges continue to accumulate while the user views or processes received material. The transporter can be repeatedly reactivated on an as-needed basis to provide intermittent communication with the remote server or servers specified or user-entered in its setup protocols, thereby simulating the ongoing, open-ended interactivity of an online connection with the remote server. Naturally, the Web site sponsor may choose to modify the local pages as compared with their Web site counterparts, for example to simplify them, or to provide access to content or function intended by the sponsor for local use only.

The local pages will normally include at least one greeting page introducing the site and providing access to its principal features or categories, and may also include many layers of

functionality and content which can be jointly or severally updated by transporter operation. Preferably, at least one local page pursuant to this aspect of the invention will be distinguished from a conventional Web page by the presence of an update function, or hyperlink, for activating the transporter to update that page or, if desired by the sponsor, to update the complete offline browser system. Different update links can employ different object manifests to use the transporter to fetch various content according to the context of the update hyperlink.

In a further embodiment, the offline browser system of the invention can be used in a larger context which combines local content stored on CD-ROM, or equivalent distributable media, (diskette or DVD for example), with additional content from a hard disk, or equivalent and with live browsing or data retrieval from a remote source, for example a Web site on the Internet, via intermittent transporter or data shuttle connections, "shuttling" herein. The inventive offline browser system can combine these resources in a coherent suite.

Thus, local Web content can be pre-distributed on CD-ROM or diskette for use with the described offline browser system. This distributed, locally stored Web content can then be combined with more current, or additional content obtained from the sponsor's Web site or other remote location by either intermittent shuttling or live continuous browsing. This allows user selection of local, intermittent or live modes, as desired, or as available at any given time and place. Providing such multiple access capabilities enables a vendor or sponsor to distribute their product *en masse* to computer owners or users with confidence that a large number of prospects can use the product easily and currently. For example, diskettes might be given away with a computer magazine to be sure of reaching a market rich in enabled prospects by any vendor willing to make the investment to reach them. A different group are prospective house purchasers, a group rich in computer owners and users, who could be given an initial diskette or CD-ROM containing a realtor's listings, and the inventive offline browser system for viewing and updating the listings from a Web site or other remote server using either the Internet or the telephone network. This method enables the prospects to browse the realtor's listings offline at their leisure, and to update it easily via either the Internet

or the telephone network, as needed. The realtor does not have to consider whether their prospect has an Internet access subscription, and the prospect does not have to worry about the difficulties and costs of attempting to download extensive listings.

5 Clearly, it is in the interest of both the sponsor and the user for the offline browser to work with current content elements. To obtain the benefits provided by the present invention, as it relates to browsing Web content, it is desirable for new online content to be retrieved, and stored locally so that the network connection used for retrieval may be terminated, (terminating time charges) and browsing can proceed on the local station.

10 Referring to Fig. 12, an offline browser 120 is shown running at a local station 122 where local content 124 is available at any of various storage media, removable or fixed, such as disk, diskette or CD-ROM. Calls handled by telephone network 125 and routed to an Internet service provider ("ISP") 130 enable the Internet 126 (or equivalent resource-rich, standardized wide area network) to be accessed by offline browser 120 via conventional online connection 128, if such connectivity is available and desired at the local station 122. A content provider maintains a Web site server 132, connected to the Internet via line 134, as a point of presence on the World Wide Web, and, additionally, a web package server 136 which is in communication with Web site server 132 and is equipped and configured for direct telephone access by users via telephone network 125 and telephone line 143. Web server 132 supplies web pages 138 to the Internet and selected Web pages or Web page excerpts are supplied to web package server 136 to serve as local pages 140. Local pages 140, with relevant Web page URLs replaced with appropriate local paths or other local resource locators, if desired, can be retrieved via dial-up connection 142, if conventional Internet access is not available or desired. Clearly, an information product's functionality or usability can be substantially enhanced by including with the local Web pages, whether supplied "over-the-wire" or on physical storage media, any applets needed to run them, for example Sun Microsystems' JAVA (trademark) applets.

Content provider 143B can thus supply local station 122 with Web pages either via online Internet connection 128, if the local station 122 has one, or via other dial-up connection 142, if the local station does not have Internet access facilities. The update can be stored locally and become part of the local content 124 where it is available for offline browsing, avoiding the costs, delays and possibly, access problems associated with online or live browsing. Preferably, the local browser provides user selection of local, intermittent or live modes, as desired, at any given time.

It will be understood that connections 128 and 142 are typically alternative uses of a single physical telephone line, and that alternatively, connection 128 could be any kind of direct Internet or other data network connection. It will also be understood that Web server 132 and web package server 136 are distinguished in their logical embodiments as distinct servers, which can be implemented either using distinct hardware and software systems, or as logically distinct elements on a single hardware platform. Also, preferred embodiments may involve continuous, real-time connection between the servers 132 and 136, for dynamic access to the Web content, or intermittent or even offline file transfer linkage, when static access is sufficient.

Sending of information from the user to web package server 136 can be accommodated, if desired, using the bi-directional capabilities of the transporter. In this case files of any type may be sent to the server 136. Thus, specific information objects including features of the offline browser and the associated HTML content, such as transmission of data entered into HTML forms, can be sent to the web package server 136, using appropriate Internet transaction protocols and associated security and payment functions as desired, as depicted by connection 150. Such a system provides a novel mechanism to support processing of forms included for example, in web packages, as described hereinbelow, that are filled out locally.

In more advanced embodiments, the linkage between web package server 136 and Web server 132 can be used bi-directionally to provide enhanced real-time services such as searching and transaction processing. For example, a response to a user's inquiry or purchase or product order,

from a remote Web site can be received by Web server 132 and relayed by the web package server 136 to be made available to the user via the dial-up path 142. Such an embodiment uses the gateway server function described in the parent application and shown as the vendor link 50 in Figure 1.

5 Thus, the novel features of providing locally browsable Web pages 140, with replaced URLs, if necessary, and web package server 136, serviced by Web server 132, as described above, enables a content provider, or sponsor to provide a valuable new service: offline Web page browsing with active hyperlinks.

10 Employing the user interfaces, database managers and API's described hereinabove, the web package can be seamlessly integrated with existing local material employing hyperlinks, if desired, for immediate cross-referencing, or cross-locating of material as between the new and locally pre-existing material.

15 It will be apparent that the UI/DB functions described for the novel offline browser could be custom built or assembled from suitable browser component toolkits, such as are beginning to appear on the market from such sources as Spyglass, and that such offline browser function can be integrated with other application functions as desired. However the wide availability and growing installed base of standard browsers from major vendors such as Netscape and Microsoft makes it
20 preferable to employ such a standard browser. In such an embodiment, the offline browser is simply a special case of a standard authoring package as described in the parent application. In many cases off-the-shelf browsers can be used effectively, and even browsers previously installed on a user station for other purposes can be employed, by exploiting standard features for extending such products, including helper applications, plug-ins, applets, and API's.

25 Briefly, such mechanisms allow a standard browser to be used to view content and select links to follow to additional content. In simple embodiments, when the link target is locally resident, it may be automatically handled by the standard browser; when it is not present, the link can,

pursuant to the invention, be coded to cause the browser to invoke the transporter as a helper application. This is described more fully in the section below headed "Link Management".

Also, if desired, local pages 140, with local resource locators, can be supplied to the Internet 126 for retrieval via online connection 128, for offline browsing, for example as an appropriately labeled offline browsing package. This feature may be particularly useful for mobile users, and the like for whom Internet service may be available or economic only on an intermittent basis. In this case content can be obtained in efficient bursts when access is available (or even on an automated, unattended schedule, when convenient or low in cost), and then stored locally for continuing use offline. Thus, the time of usage of online content is effectively decoupled from the time of retrieval of the content.

In contemplating the herein described applications of the invention to Web browsing embodiments those skilled in the art will understand that the inventive approach departs dramatically from conventional concepts of Web browsing architecture. Whereas conventional Web browsers are seen primarily as communications programs, which gain strength by using a standardized user interface and data content framework (UI/DB), the inventive approach ignores (or, when used in conjunction with live or online browsing options, downplays) the browser's role in communications, and uses a browser primarily for its UI/DB components, relying on the inventive transporter for communications. And whereas session management is open-ended and conventionally is left to the human frailties of the user, the inventive approach uses the transporter 14 to enable task-oriented session management operable in a short burst or bursts to transport pre-specified objects (whose specification may well be unknown to the user and be embedded in a hyperlink or other software element).

In addition, conventionally, helper applications, API's, plug-ins, and other browser extenders were devised primarily for addition of new content types, or enhancement of content, whereas the present invention utilizes these tools to enhance communications techniques, and enable new

communications methods.

It will be understood that short-burst access to bundled packages of content shown as using a dial-up connection 142 to reach the web package server can just as well use an Internet connection or other suitable network, as described above, and under the heading "Equivalent Networks" above, and that such embodiments may become increasingly important in the future.

Link Management

As referenced above, a problem that arises when attempting to integrate retrieved new content elements with pre-existing local content elements stored locally at the user's station, is that, in general, the URLs associated with any hyperlinks in the new content elements fetched from an online Web site will not correctly point to the user's local resources because, in the nature of URL's, (and particularly "absolute URLs" as described below) they will point to a Web site, namely the site from which they were fetched, or some other Internet Web sites. This link redirection problem may arise whether or not the content comprises Web pages, and is inherent in any updatable material that employs hyperlinks where updates will not necessarily be stored in the same logical volume as the original material.

A simple solution to this problem, pursuant to the invention, provides for links to be coded as "relative URLs," which are relative to the source location and contain only relative sub-structure detail. The links may thus remain valid if the substructure is relocated to the local station on a consistent, parallel basis, e. g. if remote pages are within a single directory, the relocated link will be interpreted as pointing to the single local directory. Thus, those elements of the path and filename(s) that are recited in the link must be present at the local station: they could be installed beforehand in an offline browser setup routine or by updates. Link coding may comprise truncation of the absolute URL to remove elements of the Web site address or other modifications as disclosed and suggested herein or as will be apparent to those skilled in the art.

While beneficial in many situations the solution of using relative URLs will not solve the more general problem of offline utilization of links to scattered source materials, including remotely stored materials, where it may be impractical to maintain the relative structure, or where "absolute URLs" may be employed at the remote source. To solve these problems the invention provides, as
5 referenced above, a link manager to redirect or rewrite URLs as necessary for local use.

For smooth and efficient integration of the offline Web browser system with online browsing activity, it is desirable for the offline browser automatically to access the most up-to-date version of any particular content element, and if it must be retrieved from a remote source to be able to fetch it either via live browsing or by shuttle mode. Preferably, the local browser should fetch content from the network only if a local copy is no longer current. This capability requires a mechanism to check time stamps of both network and local copies. More advanced embodiments could use more complex and variable criteria for this decision, such as factors for file size, type, urgency, and connection availability, as well as relative currency.

To solve these problems the invention provides a dynamic link manager cooperative with the local browser to manage link relocations dynamically as links are activated. In preferred embodiments the link manager can operate efficiently regardless of whether content is retrieved via shuttle or live mode.

A variety of levels of sophistication in link management may be employed in embodying the invention, and depending on the functions required, link management may be static or dynamic at either the server or the user station, or both. Key factors are the dynamics of the content in terms of its frequency of change or addition, whether both shuttle and live mode are to be supported, and the
25 extent to which a user's local content is allowed to vary.

In maintaining proper linkage, a key concept is the idea of "working sets" of web content. Linked content constitutes a network which is a directed graph. While in general, Web content is

open and any home page may have links which lead to other links that go throughout the entire Web, actual Web sites may be limited or can be artificially limited in the scope of their links. Thus, the term "working set" is used herein to mean a set of linked objects which a user is permitted by a service, content or applications provider, to reference at a given time. This usage of the term "working set" is borrowed from the unrelated field of virtual memory management.

If the working set is kept sufficiently small, it may be practical to transmit all working set elements that have changed whenever the user requests one or more pages in the set. In this case all pages in the current working set are known to be available locally, so that links can be pre-coded at the server to point to local copies (using relative URLs, if they are not already coded in such manner). Then, desired explicit links for updates to current content, or planned extensions, can be coded to cause an intercept, and the handling of the intercept is used to invoke the transporter 14 to retrieve the update package for the working set.

More generally, where the working set is too large for complete transmission on every update, and a scheme for segmentation of the working set into smaller bundles of linked objects, called "web packages," herein which can be obtained from the server individually, as needed, may be employed. In this case, as before, links within a web package may remain as simple relative URLs, which can be expected to work locally and can be followed by the browser without special consideration, but links from one web package to another need to be intercepted and checked to determine whether the destination object is in a local web package, and then proceed accordingly.

Pursuant to the embodiment of the invention depicted in Figure 13, the link manager comprises a link interceptor 144 cooperative with the offline browser 120 to intercept links activated by the offline browser 120 and take temporary control of the browser application thread whenever a link pre-coded as not internal to the active web package is encountered. Intercepted links are inspected to determine whether they are calling a resource available locally in another resident web package. If not, depending on the mode of access in use at the time, control is returned to the browser

120 for resource retrieval via live browse or is given to the transporter to perform a shuttle.

In a generalized embodiment, the link interceptor 144 monitors all link requests issued by the browser 120, cooperating with the browser by means of any of a variety of standard or customized mechanisms as described below, and acts or passes them according to their destinations. To effect monitoring the link interceptor 144 can operate at a relatively high level, plugging to the browser's API, assuming it to have one, although this may require some customization of the link interceptor 144 to browser 120.

If the intercepted link is determined to be calling a locally available resource, for example because it recites a filename identical with a locally stored file, it is passed to a link translator 146 to correct its destination. Control and the translated link are then passed back to the local station's offline browser 120 for completion. Preferably, the link manager includes a version comparator 148 which calls a version number, time and date stamp, or other version indicator from the original URL address on the Internet, compares same with corresponding data for the local content and processes the more current version. If necessary, the link manager can include a time and date stamp module (not shown) to label relevant links or link elements as they are received locally.

Preferably also, in applying such a scheme, the link translator 146 reads from the intercepted link sufficient information to enable lookup and translation. Translation can be effected by appropriate modifications of the URL.

Link control and interception cooperative with the local offline browser 120 can be embodied at various levels and points of control. In a simple case, all links except a single class of update link can be pre-converted to relative URLs that work without interception. Update links can be coded to cause a standard shuttle update function to be invoked, such as by invoking a packaged version of the transporter as a helper application, using a coding approach such as described below.

In a more flexible embodiment using the web package segmentation structure, web package-specific intercepts are provided and coding is applied to the links to cause the browser to transfer control for link relocation purposes when specific intercepts are encountered.

5 In an alternative embodiment of link manager which requires no inline editing of links or selective intercept control, the link interceptor intercepts all HTTP "Get URL" requests (in other words intercepts hypertext transport protocol requests to get a file based on its uniform resource locator address, which has been left in its original form) and makes a determination, based on separately maintained data, as to whether the target object is local, in which case it passes the Get URL back to the browser to execute as a local relative URL, or whether to obtain the target object via remote browsing or via transporter shuttling. Interception can be implemented using browser API functions which are commercially available in various forms including for example DDE, OLE, and Netscape Communications' "Inline Plug-Ins", or through use of proxy server functions, preferably modified for local users. Proxy servers are commonly used as intermediary servers that can redirect URL references in order to implement secure fire walls, but can also be implemented in simple form to perform a comparable redirection function running as a process on the user's machine co-operatively with the browser.

10
15
20
25 Conventionally, a proxy server provides a standard mechanism that implements an intercept/redirect function in the network (normally applied to the very different objective of resource hiding for purposes of security), outboard from the browser. When use of a proxy server is specified to a browser, all "Get URL" requests are directed first to the proxy server, which then looks up the proper routing and redirects the requesting browser to the actual desired URL in a two stage process. Proxy servers are usually separate shared servers performing network control functions for entire groups of users, and the desired web package storage and access management could be implemented on a similar shared basis, but this activity is typically individual in nature and thus preferably effected at the user's station. Use of a simple proxy server on the user station can be an effective mechanism for link control, if appropriately coordinated with any other uses of proxy

servers, such as for security fire walls.

Alternatively, the link interceptor 144 may operate at a much lower level and monitor suitable DOS or other operating system interrupts, such as interrupt 21 or 23, filter all browser originating resource calls, and process the filtered calls selectively according to destination, as described herein. Use of the operating system interrupts in this way may be more difficult to implement, but can provide a more universal link interceptor 144 able to work with a variety of browsers.

Link Coding

Link coding is preferably done when the web packages are built, unless live browsing is to be supported with full or substantially transparent integration of local and online resources. Links internal to a web package are left as (or converted to) relative URLs and need no intercept, although interception may be used for tracking purposes, if desired, enabling a user's "hits" on particular links to be logged and forwarded to a remote source using transporter 14. Such tracking does not require amendment or rewriting of links.

Pre-coded Web Packages

External links are coded into the web packages, before delivery, so as to be intercepted and amended or rewritten. The intercept process can be manual if static content builds are used, or semi- or fully automated, and can be varied, depending on the dynamics of content structure changes, for example, as follows:

- a) Web package definitions can be manually set up to consist of a set of objects, and this definition automatically applied to edit links in new copies of the specified pages. In this case the web package is known to consist of the pre-defined set of pages, and is thus static in page composition, but the content of those pages is dynamic, and requires dynamic link adjustment when new web package copies are built.

- b) Alternatively, procedures for automatic segmentation of content into dynamically defined web packages can be used.

Dynamic Link Coding

5

If live browsing is to be fully integrated then link relocation can be dynamically coded locally, as pages are received. Preferably, the web package structure is used to simplify tracking so as to have similar capability for dynamic web package definition as described in b), above. Alternatively, individually accessed pages can be tracked as single-page web packages (with any associated inline objects), and then consolidated whenever the opportunity and necessary information becomes available, such as on request, or when a web package is received that supersedes the individual page.

10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100

In a simplified embodiment of this aspect of the invention, designated pages can be retrieved one-by-one as standard pages (with associated inline objects) from any server, or servers, but managed together, as a package, by the client system at the user's station, as a defined web package object group (using separately maintained web package specification and control information) which can be termed a "virtual web package". Such a virtual web package has the benefits described herein, namely that it can be supplied by direct dial-up using batched, managed access in a short burst for subsequent offline use. However, a virtual web package will lack the packaging-related transmission efficiency of the described "real" web packages, although the need for separate prepackaging or staging of content is also avoided by way of compensatory benefit.

20

25

One way of coding a link for interception on an exception basis, such as by using a helper application is by modifying the file extension of its relative URL or local file protocol URL, although at least in some cases, steps may need to be taken to avoid destroying file functionality conferred by program-recognized extensions such, for example, as ".BMP", ".TIF", ".DXF", ".DBF", ".IDX" and the like. Simple substitution of an extension would lose the extension info, and but may be

applicable for pages which can be assumed to be written in HTML.

Thus, for example, the existing file extension of the URL in the uncoded link, whatever it might be, could be replaced with a common intercept extension, such as ".TSH", which would cause the coded link call to be intercepted for rewriting when that link were activated by the user. Clearly, multiple coded extensions could be devised to serve a variety of purposes, including, perhaps, usage tracking. This extension-based coding approach is convenient for simple embodiments in which the intercept mechanism is invoked by a special-purpose module or application, analogous to (though providing different functionality from) the commonly available mechanism of a "helper application" which is typically used to invoke viewers for special file types. The inventive use of a helper application mechanism to manage communications while using the browser for viewing is in some senses a reversal of its conventional use.

To retain extension functionality and support more general absolute URLs, a preferred coding practice pursuant to the invention, is to append to the coded link, after the URL's intercept extension, one or more additional legal URL coding characters such as "#" (used for tags within pages) followed by the original URL, with its functional extension. Thus "image.bmp" could be coded as *image.tsh#bmp*, or more generally, for *http://host/path/image.bmp*, as *linker.tsh#http://host/path/image.bmp*. The URL coding character would be ignored by the browser, but would be accessible to the link manager which can delete the URL coding character and the intercept extension, rewrite or amend the URL and return it to the browser for execution, with its original extension intact. It will be understood that starting after the initial "#", all "/" and other special characters (such as "#" for a real tag) must be coded in the form of their hexadecimal equivalents using the standard URL escape characters, in the form "%00", where "00" is the equivalent hexadecimal code, in order to conform to the rules for a legal file protocol URL.

A more preferable alternative means or module to cause or identify exception intercepts is a module that uses a special protocol designation to cause the linker to be invoked as a protocol

handler, such as *tsh://image.bmp*, or more generally *tsh://host/path/image.bmp* in cases where the browser allows addition of new protocol handlers, as some recently available versions do. This scheme can also be useful in embodiments where all URLs are intercepted.

5 To effect URL translations, the link translator preferably comprises a separate set of lookup tables. In addition to specific or wild card designations of original URLs, or URL classes, against corresponding new URLs or URL classes, separate lookup tables enable efficient tracking of link status, time and date stamps, and other relevant link data, and also facilitate grouping of translations and status by web package for transport with a web package as a web package list, providing an integrated product. Such a mechanism also facilitates the selection of a variety of Web pages from a Web site with properly managed links. It is not necessary to modify all local references to a newly supplied web package in advance: the links can simply be intercepted and the web package list consulted live. Alternatively, the coded URL may carry with it a web package identifier for an entire update or extension web package instead of or in addition to the specification of a specific target URL, depending on the variety of access modes and richness of content structure to be supported.

10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995
1000
1005
1010
1015
1020
1025
1030
1035
1040
1045
1050
1055
1060
1065
1070
1075
1080
1085
1090
1095
1100
1105
1110
1115
1120
1125
1130
1135
1140
1145
1150
1155
1160
1165
1170
1175
1180
1185
1190
1195
1200
1205
1210
1215
1220
1225
1230
1235
1240
1245
1250
1255
1260
1265
1270
1275
1280
1285
1290
1295
1300
1305
1310
1315
1320
1325
1330
1335
1340
1345
1350
1355
1360
1365
1370
1375
1380
1385
1390
1395
1400
1405
1410
1415
1420
1425
1430
1435
1440
1445
1450
1455
1460
1465
1470
1475
1480
1485
1490
1495
1500
1505
1510
1515
1520
1525
1530
1535
1540
1545
1550
1555
1560
1565
1570
1575
1580
1585
1590
1595
1600
1605
1610
1615
1620
1625
1630
1635
1640
1645
1650
1655
1660
1665
1670
1675
1680
1685
1690
1695
1700
1705
1710
1715
1720
1725
1730
1735
1740
1745
1750
1755
1760
1765
1770
1775
1780
1785
1790
1795
1800
1805
1810
1815
1820
1825
1830
1835
1840
1845
1850
1855
1860
1865
1870
1875
1880
1885
1890
1895
1900
1905
1910
1915
1920
1925
1930
1935
1940
1945
1950
1955
1960
1965
1970
1975
1980
1985
1990
1995
2000
2005
2010
2015
2020
2025
2030
2035
2040
2045
2050
2055
2060
2065
2070
2075
2080
2085
2090
2095
2100
2105
2110
2115
2120
2125
2130
2135
2140
2145
2150
2155
2160
2165
2170
2175
2180
2185
2190
2195
2200
2205
2210
2215
2220
2225
2230
2235
2240
2245
2250
2255
2260
2265
2270
2275
2280
2285
2290
2295
2300
2305
2310
2315
2320
2325
2330
2335
2340
2345
2350
2355
2360
2365
2370
2375
2380
2385
2390
2395
2400
2405
2410
2415
2420
2425
2430
2435
2440
2445
2450
2455
2460
2465
2470
2475
2480
2485
2490
2495
2500
2505
2510
2515
2520
2525
2530
2535
2540
2545
2550
2555
2560
2565
2570
2575
2580
2585
2590
2595
2600
2605
2610
2615
2620
2625
2630
2635
2640
2645
2650
2655
2660
2665
2670
2675
2680
2685
2690
2695
2700
2705
2710
2715
2720
2725
2730
2735
2740
2745
2750
2755
2760
2765
2770
2775
2780
2785
2790
2795
2800
2805
2810
2815
2820
2825
2830
2835
2840
2845
2850
2855
2860
2865
2870
2875
2880
2885
2890
2895
2900
2905
2910
2915
2920
2925
2930
2935
2940
2945
2950
2955
2960
2965
2970
2975
2980
2985
2990
2995
3000
3005
3010
3015
3020
3025
3030
3035
3040
3045
3050
3055
3060
3065
3070
3075
3080
3085
3090
3095
3100
3105
3110
3115
3120
3125
3130
3135
3140
3145
3150
3155
3160
3165
3170
3175
3180
3185
3190
3195
3200
3205
3210
3215
3220
3225
3230
3235
3240
3245
3250
3255
3260
3265
3270
3275
3280
3285
3290
3295
3300
3305
3310
3315
3320
3325
3330
3335
3340
3345
3350
3355
3360
3365
3370
3375
3380
3385
3390
3395
3400
3405
3410
3415
3420
3425
3430
3435
3440
3445
3450
3455
3460
3465
3470
3475
3480
3485
3490
3495
3500
3505
3510
3515
3520
3525
3530
3535
3540
3545
3550
3555
3560
3565
3570
3575
3580
3585
3590
3595
3600
3605
3610
3615
3620
3625
3630
3635
3640
3645
3650
3655
3660
3665
3670
3675
3680
3685
3690
3695
3700
3705
3710
3715
3720
3725
3730
3735
3740
3745
3750
3755
3760
3765
3770
3775
3780
3785
3790
3795
3800
3805
3810
3815
3820
3825
3830
3835
3840
3845
3850
3855
3860
3865
3870
3875
3880
3885
3890
3895
3900
3905
3910
3915
3920
3925
3930
3935
3940
3945
3950
3955
3960
3965
3970
3975
3980
3985
3990
3995
4000
4005
4010
4015
4020
4025
4030
4035
4040
4045
4050
4055
4060
4065
4070
4075
4080
4085
4090
4095
4100
4105
4110
4115
4120
4125
4130
4135
4140
4145
4150
4155
4160
4165
4170
4175
4180
4185
4190
4195
4200
4205
4210
4215
4220
4225
4230
4235
4240
4245
4250
4255
4260
4265
4270
4275
4280
4285
4290
4295
4300
4305
4310
4315
4320
4325
4330
4335
4340
4345
4350
4355
4360
4365
4370
4375
4380
4385
4390
4395
4400
4405
4410
4415
4420
4425
4430
4435
4440
4445
4450
4455
4460
4465
4470
4475
4480
4485
4490
4495
4500
4505
4510
4515
4520
4525
4530
4535
4540
4545
4550
4555
4560
4565
4570
4575
4580
4585
4590
4595
4600
4605
4610
4615
4620
4625
4630
4635
4640
4645
4650
4655
4660
4665
4670
4675
4680
4685
4690
4695
4700
4705
4710
4715
4720
4725
4730
4735
4740
4745
4750
4755
4760
4765
4770
4775
4780
4785
4790
4795
4800
4805
4810
4815
4820
4825
4830
4835
4840
4845
4850
4855
4860
4865
4870
4875
4880
4885
4890
4895
4900
4905
4910
4915
4920
4925
4930
4935
4940
4945
4950
4955
4960
4965
4970
4975
4980
4985
4990
4995
5000
5005
5010
5015
5020
5025
5030
5035
5040
5045
5050
5055
5060
5065
5070
5075
5080
5085
5090
5095
5100
5105
5110
5115
5120
5125
5130
5135
5140
5145
5150
5155
5160
5165
5170
5175
5180
5185
5190
5195
5200
5205
5210
5215
5220
5225
5230
5235
5240
5245
5250
5255
5260
5265
5270
5275
5280
5285
5290
5295
5300
5305
5310
5315
5320
5325
5330
5335
5340
5345
5350
5355
5360
5365
5370
5375
5380
5385
5390
5395
5400
5405
5410
5415
5420
5425
5430
5435
5440
5445
5450
5455
5460
5465
5470
5475
5480
5485
5490
5495
5500
5505
5510
5515
5520
5525
5530
5535
5540
5545
5550
5555
5560
5565
5570
5575
5580
5585
5590
5595
5600
5605
5610
5615
5620
5625
5630
5635
5640
5645
5650
5655
5660
5665
5670
5675
5680
5685
5690
5695
5700
5705
5710
5715
5720
5725
5730
5735
5740
5745
5750
5755
5760
5765
5770
5775
5780
5785
5790
5795
5800
5805
5810
5815
5820
5825
5830
5835
5840
5845
5850
5855
5860
5865
5870
5875
5880
5885
5890
5895
5900
5905
5910
5915
5920
5925
5930
5935
5940
5945
5950
5955
5960
5965
5970
5975
5980
5985
5990
5995
6000
6005
6010
6015
6020
6025
6030
6035
6040
6045
6050
6055
6060
6065
6070
6075
6080
6085
6090
6095
6100
6105
6110
6115
6120
6125
6130
6135
6140
6145
6150
6155
6160
6165
6170
6175
6180
6185
6190
6195
6200
6205
6210
6215
6220
6225
6230
6235
6240
6245
6250
6255
6260
6265
6270
6275
6280
6285
6290
6295
6300
6305
6310
6315
6320
6325
6330
6335
6340
6345
6350
6355
6360
6365
6370
6375
6380
6385
6390
6395
6400
6405
6410
6415
6420
6425
6430
6435
6440
6445
6450
6455
6460
6465
6470
6475
6480
6485
6490
6495
6500
6505
6510
6515
6520
6525
6530
6535
6540
6545
6550
6555
6560
6565
6570
6575
6580
6585
6590
6595
6600
6605
6610
6615
6620
6625
6630
6635
6640
6645
6650
6655
6660
6665
6670
6675
6680
6685
6690
6695
6700
6705
6710
6715
6720
6725
6730
6735
6740
6745
6750
6755
6760
6765
6770
6775
6780
6785
6790
6795
6800
6805
6810
6815
6820
6825
6830
6835
6840
6845
6850
6855
6860
6865
6870
6875
6880
6885
6890
6895
6900
6905
6910
6915
6920
6925
6930
6935
6940
6945
6950
6955
6960
6965
6970
6975
6980
6985
6990
6995
7000
7005
7010
7015
7020
7025
7030
7035
7040
7045
7050
7055
7060
7065
7070
7075
7080
7085
7090
7095
7100
7105
7110
7115
7120
7125
7130
7135
7140
7145
7150
7155
7160
7165
7170
7175
7180
7185
7190
7195
7200
7205
7210
7215
7220
7225
7230
7235
7240
7245
7250
7255
7260
7265
7270
7275
7280
7285
7290
7295
7300
7305
7310
7315
7320
7325
7330
7335
7340
7345
7350
7355
7360
7365
7370
7375
7380
7385
7390
7395
7400
7405
7410
7415
7420
7425
7430
7435
7440
7445
7450
7455
7460
7465
7470
7475
7480
7485
7490
7495
7500
7505
7510
7515
7520
7525
7530
7535
7540
7545
7550
7555
7560
7565
7570
7575
7580
7585
7590
7595
7600
7605
7610
7615
7620
7625
7630
7635
7640
7645
7650
7655
7660
7665
7670
7675
7680
7685
7690
7695
7700
7705
7710
7715
7720
7725
7730
7735
7740
7745
7750
7755
7760
7765
7770
7775
7780
7785
7790
7795
7800
7805
7810
7815
7820
7825
7830
7835
7840
7845
7850
7855
7860
7865
7870
7875
7880
7885
7890
7895
7900
7905
7910
7915
7920
7925
7930
7935
7940
7945
7950
7955
7960
7965
7970
7975
7980
7985
7990
7995
8000
8005
8010
8015
8020
8025
8030
8035
8040
8045
8050
8055
8060
8065
8070
8075
8080
8085
8090
8095
8100
8105
8110
8115
8120
8125
8130
8135
8140
8145
8150
8155
8160
8165
8170
8175
8180
8185
8190
8195
8200
8205
8210
8215
8220
8225
8230
8235
8240
8245
8250
8255
8260
8265
8270
8275
8280
8285
8290
8295
8300
8305
8310
8315
8320
8325
8330
8335
8340
8345
8350
8355
8360
8365
8370
8375
8380
8385
8390
8395
8400
8405
8410
8415
8420
8425
8430
8435
8440
8445
8450
8455
8460
8465
8470
8475
8480
8485
8490
8495
8500
8505
8510
8515
8520
8525
8530
8535
8540
8545
8550
8555
8560
8565
8570
8575
8580
8585
8590
8595
8600
8605
8610
8615
8620
8625
8630
8635
8640
8645
8650
8655
8660
8665
8670
8675
8680
8685
8690
8695
8700
8705
8710
8715
8720
8725
8730
8735
8740
8745
8750
8755
8760
8765
8770
8775
8780
8785
8790
8795
8800
8805
8810
8815
8820
8825
8830
8835
8840
8845
8850
8855
8860
8865
8870
8875
8880
8885
8890
8895
8900
8905
8910
8915
8920
8925
8930
8935
8940
8945
8950
8955
8960
8965
8970
8975
8980
8985
8990
8995
9000
9005
9010
9015
9020
9025
9030
9035
9040
9045
9050
9055
9060
9065
9070
9075
9080
9085
9090
9095
9100
9105
9110
9115
9120
9125
9130
9135
9140
9145
9150
9155
9160
9165
9170
9175
9180
9185
9190
9195
9200
9205
9210
9215
9220
9225
9230
9235
9240
9245
9250
9255
9260
9265
9270
9275
9280
9285
9290
9295
9300
9305
9310
9315
9320
9325
9330
9335
9340
9345
9350
9355
9360
9365
9370
9375
9380
9385
9390
9395
9400
9405
9410
9415
9420
9425
9430
9435
9440
9445
9450
9455
9460
9465
9470
9475
9480
9485
9490
9495
9500
9505
9510
9515
9520
9525
9530
9535
9540
9545
9550
9555
9560
9565
9570
9575
9580
9585
9590
9595
9600
9605
9610
9615
9620
9625
9630
9635
9640
9645
9650
9655
9660
9665
9670
9675
9680
9685
9690
9695
9700
9705
9710
9715
9720
9725
9730
9735
9740
9745
9750
9755
9760
9765
9770
9775
9780
9785
9790
9795
9800
9805
9810
9815
9820
9825
9830
9835
9840
9845
9850
9855
9860
9865
9870
9875
9880
9885
9890
9895
9900
9905
9910
9915
9920
9925
9930
9935
9940
9945
9950
9955
9960
9965
9970
9975
9980
9985
9990
9995
10000
10005
10010
10015
10020
10025
10030
10035
10040
10045
10050
10055
10060
10065
10070
10075
10080
10085
10090
10095
10100
10105
10110
10115
10120
10125
10130
10135
10140
10145
10

subsequent reconnect. Image maps can be converted to local image maps and push-pull can be facilitated with local scripting, as desired. JAVA applets and live objects, such as director movies should run satisfactorily locally given necessary browser support.

5 Other schemes for coding links to achieve the purposes of the invention will be apparent to those skilled in the art who will also understand the value of the novel link coding capability of the invention in enabling many useful applications, including web packages with active hyperlinks, as described.

Web Package Utility

10 Such novel web packages in turn can stimulate a variety of new applications and ways of using Web content or other material compatible with Web standards, especially when combined with the transporter of the invention into automated web package transport embodiments. For example, ready access to web package content furnished by a sponsor from a remote server using the transporter for user-driven dial-up retrieval of the content can introduce non-Web users to Web content and attract them to online services, adoption of which can be facilitated by incorporation of a Web or Internet access provider's subscription package (or enabling shell) in the Web package.

Web Page Caching

20 It will be understood by one skilled in the art, that the link management modules and methodology of the invention, and its application to web packages, as described, are quite unlike conventional web page cache managers commonly used by browsers temporarily to hold recently accessed pages at the local station for subsequent quick access. Conventional local Web page cache managers are not presently standardized, making it difficult to communicate therewith via an extension module such as the inventive component for direct dial-up access and suffer from the drawbacks that communications access is assumed to be readily available at all times, to replace or

add pages, and cached objects are automatically purged under simple policies such as "least-recently-used". Thus the content of conventional Web page cache managers is transient in nature rather than persistent and the cache managers are unsuitable for effecting the offline browsing and other link management functions of the invention, as described above. Furthermore, such conventional Web page cache managers currently neither offer nor can readily be extended to support the required set of link management and relocation features described herein.

Nevertheless, in one preferred embodiment of the invention, a conventional Web page cache manager can be used to enhance the invention, for example, in a case where the browser (and associated cache) is custom built for use in online and shuttle mode, or where an adequately featured cache facility is standardized and generally available across a useful population of browsers. For these purposes, the conventional browser preferably provides, or can be extended to provide the necessary functionality, and offers a suitable API or other control interface, to manage the local objects.

As noted hereinabove, it will be understood that the described approach to link management applies to remote hyperlinked content in general, whether based on current URL usage or current or future variants, extensions or other equivalents of URLs. This includes object-oriented approaches to the handling of hyperlinks using object containers for URLs or other hyperlinks, such as those known in the art as "monikers".

While described to serve the purposes of offline browsing, it will be apparent that the described link management features of the invention can be employed in other situations where it is desired to redirect links.

Link Management Applications

The ability to manage links as described herein, enables a number of new Web capabilities

to be provided, serving various recognized and previously unrecognized needs. Properly implemented, using the teachings of the invention, a user can smoothly interwork local, shuttle and live modes for static content formats, for example HTML, images, multimedia and the like. Some applications of the link management aspects of the invention to filling these needs will now be described while others will be apparent to those skilled in the art, or will become apparent as the art develops.

Content Archiving and Relocation

The link interceptor function can be modified to perform many other valuable functions to add value to the basic hypertext functions provided by the standard network protocols. For example, current protocols provide no facility to deal with links which point to content which has been moved or deleted, or which reference a server that is no longer maintained to be accessible on the network, or which is other wise unavailable: they simply cause an error message to be displayed when such an "empty" link is selected. As at the date of this application such empty links are a relatively minor nuisance. However, their proliferation will become increasingly problematic as linked content developed by uncoordinated and perhaps undisciplined sources grows and evolves. Eventually these empty links could seriously impede Internet traffic, like so many parked cars on the highway. A proposed solution yet to be standardized by the Internet Engineering Task Force involves the use of new forms of link specification which embed indirect but permanent Uniform Resource Names instead of URLs, but this is some time off because of complex policy issues, and has the drawbacks of requiring changes to embedded pointers in existing content, and imposes a relocation overhead on every access. A stopgap approach similarly based on embedding indirect links, called Persistent URLs, has recently been proposed by the Online Computer Library Center, but has similar weaknesses.

Pursuant to an extended embodiment of the invention, browsers can be modified, using the various browser modification or extension facilities described herein, or their equivalents, to provide

a solution to this problem that needs no change to current content and imposes overhead only on an exception basis.

Thus to solve the problem of “empty” links the invention provides a modified browser including a link management module to react to messages generated by failure of a link owing to an inadequate response from its destination by calling an enhanced version of the link interceptor module, which includes one or more link search components which is invoked to seek to alternative locations for the desired content, or an explanation of its unavailability, and then provide an adjusted link pointer back to the browser for presentation to the user. As time passes the number of aged or obsolescent links must be expected to become quite voluminous, spawning the need for a link relocation or archive server to maintain the alternative location or explanatory data needed by link search components at the browser. The invention includes such a link archive server as well as modified browsers, as described, intended to work cooperatively therewith, whether in online or offline mode.

A variety of computer-implemented software mechanisms can be used by such a link archive server to provide an archiving and relocation service, pursuant to the invention. Preferably, one or more special-purpose archive and relocation servers is set up to maintain relocation information and, optionally, copies of the “lost” content from the empty links. A link interceptor module at the user’s station cooperative or integral with their browser, is configured to query the relocation servers with a failing URL, and receive or retrieve a response containing a corrected URL, if known. Thus, for example, if a page at

http://server1.com/path1/page1.htm

was not found, the link interceptor could be configured to query either

http://archive.com/relocator?server1.com/path1/page1.htm, or

http://relocator.archive.com/server1.com/path1/page1.htm

as a first relocation server to be checked.

5 Information on such relocations could be submitted to the relocation server through various means, and an active "spider" process could be applied, being initiated, for example, from the relocation server, to monitor the structure of the Web and detect changes. The spider would save the content or preferably a short coded signature for each page, and then on subsequent scans, would identify relocated pages, using the saved content or signatures, and note the new addresses for responding to inquiries from the link interceptor. Preferably, any relocations that were uncertain would be flagged with a coding that would allow the viewer to be warned of the possibility of error. Such archive servers could also offer an optional repository service for useful pages no longer maintained (or maintained in some new location) by the original source or sponsor. The relocation and archive servers could be maintained as a for-fee service, or sponsored through various mechanisms including advertising, as are search sites, currently.

Where feasible for content servers which remain operative but have content that has been moved or deleted, an alternative, and perhaps more desirable method, of implementing such relocation functions would be at the content server, preferably by convention. Thus, for example, a server could add a basic relocation server function for pages that had previously been available from that server. Thus, for example, if a page at

http://server1.com/path1/page1.htm

was not found, the convention could be to query either

http://server1.com/relocator?path1/page1.htm, or

http://relocator.server1.com/path1/page1.htm

as a first relocation server to be checked.

Screening

5 The link interceptor module, when configured to intercept all or selected external links or Get
URL requests enables user activity to be screened so that undesired requests can be denied or filtered
out. Such a screening process can be used to prevent users retrieving inappropriate content, for
example content judged indecent or obscene, or from competitors Web sites, so long as an address,
or URL, for that content is known. If the user attempts to get an URL on the excluded list, "Object
10 Not Available" can be returned.

15 The link interceptor module can access a list or table of excluded addresses which may be
maintained locally or accessed at a remote site, the access or a periodic refresh can of course be
effected by transporter 14, if desired. Where a third party, for example the Internet Service Provider
("ISP" herein) can furnish descriptive classifications of site content, by address or URL, as being
indecent, violent, politically incorrect or the like, and password coded setup routine can also be
provided enabling a supervisor of the local station to filter out certain categories of content. Thus,
a parent can use a password, or multiple passwords to control what content their children view.

20 It will be appreciated that the link management, intercept and relocation aspects of the
invention, and the concept of relative URLs while being particularly advantageous in assisting the
implementation of offline browsing, as described herein, can be beneficial independently of the use
of transporter 14, for example to enable offline browsing independently of dial-up updates or to
enable an URL-driven content screening module which could be a freestanding software component
25 or program implemented at the user's station to screen the user's activity or at the ISP to screen or
censor all link calls from the ISP's customers, or elsewhere, as will be apparent to those skilled in
the art.

Web Package Assembler

The invention also provides a computer-implementable web package assembler enabling sets or packages of Web pages, as described hereinabove, to be assembled into useful web packages from content available at diverse locations on the Internet. A key component of such a web package assembler is a link relocation module to rationalize all hyperlink references within the package, for local browsing.

Other useful components which can be included in such a novel web package assembler are a selection tool, a retriever and a package assembler. The selection tool specifies the desired content ingredients of the web package in a manner susceptible to search and applies criteria to select suitable content elements from an existing content set which may be as diverse as a single database or directory of data or all Web site data available on the Internet. The retriever applies the selection tool over the content set to gather content elements for the web package, or alternatively to gather a superset of content elements from which the web package can be assembled.

The package assembler uses the selection tool to assemble a desired specific package or web package from the content elements generated by the retriever. These tools will now be described in more detail.

Web Package Selection Tool

A preferred web package selection tool provides a time-optimized selection process to economize on connection charges and which uses a focused methodology to achieve a brief connection. Because of the vastness of the World Wide Web, and the extent of its content, it is important that the selection tool apply a range of filters or selection criteria with optional specification or customization or plug-in control of parameters for content, source, quality, style and other parameters that will be apparent to those skilled in the art. A particularly desirable feature is

an option for explicit specification of desired content known to exist on the Web, for example Web pages previously visited, and preferably means (e.g. drag-and-drop, paste-and-copy, or a separately windowed routine employing a file manager) are provided to facilitate such desired content specification for example by posting respective URLs from the user's hotlists, cache of visited sites, vendor- or sponsor-supplied list or other offline (or online retrievable) source of URLs of potential interest.

The objective is to build a coherent package comprising a hyperlinked collection of content elements retrieved from multiple Internet (or other appropriate dispersed source) locations, the content elements being handled and built in an environment of their original HTML or other standardized language, without requiring conversion to proprietary application formats. Options for offline testing of a search query built from multiple parameters, are desirable, where feasible, to avoid unnecessary or excess connection time.

Retriever Tool

The retriever tool uses the search tool and crawls across the Web, like a Web spider, to locate and retrieve desired or suitable content, based on defined criteria, in HTML format.

The analogies to a spider web and references to a Web spider and Web crawling are used to denote an organized search of Web sites involving visits to those sites rather than merely scanning the content of one or more search engines. Clearly, a comprehensive search of the content available at any and all Web sites is a time-consuming project. Crawling techniques can also include the pursuit of hyperlinks to relevant content, and other techniques, as are known to those skilled in the art.

Such a combined search-and-retrieve tool set can be used for other hyperlinked, searchable content bases, as desired.

Package Assembler

5 The package assembler provides assembly of desired retrieved content elements into desired web packages combining them with any applets required to run, display or otherwise use particular content, or any other appropriate accessories.

Link Relocation Tool

10 The link relocation tool operates like the link relocation module described hereinabove to effect appropriate changes in links in the retrieved content. The link relocation module provides functionality to adjust hyperlink references in the retrieved content elements to point to other elements within the web package or, as appropriate, to point to other content elements in separate web packages which may also be retrieved, or otherwise to be rewritten or redirected, as described above. Proper resolution of links enables the tools to be used for managed retrieval of related packages as sets, rather than as individual pages as in conventional Web browsing.

15 Appropriately used, these tools enable the building of a web package, of multiple pages from diverse locations, to be automated, combining Web crawling under specified search constraints.

20 While these tools will clearly have utility at the user's station, a preferred embodiment of the invention locates them on a web package server accessible to users by direct dial-up connection. If desired, the web package server can be provided with facilities dynamically to assemble batches of content elements into standardized or customized web packages. Standardized web packages might
25 for example be news items for a trade news letter that have been located at and retrieved from a number of sites relevant to activities in the trade, are distributed to a population of users, whereas customized web packages, which are preferably dynamically assembled upon request, are intended for an individual, or small group of users, meeting their specific content requirements.

10556062-042000
The application of this package assembler, and in the case of dynamic web package construction, its use in conjunction with the above searching and gathering activities impose novel design constraints in that packages to be transmitted must preferably be compact, and any content gathering done in real time must preferably be done in a way that minimizes call duration. This affects decisions as to how to search, which items to select, and in what form to present the results. For example, size may become a parameter in determining which search results to remit to the requester. The issues and solutions of these decisions will generally be apparent to one skilled in the art, but may vary from those typical in conventional online searching situations, as will be apparent from the teachings herein. For example, when web package construction is dynamic it will typically be desirable to apply a caching facility to keep frequently requested pages or sets of web package elements available at the web package server in order to keep access and assembly time to a minimum.

Short-burst Connectivity

By efficient management of the communications process, the invention enables calls to be terminated when pre-specified information object transfers have been satisfactorily executed, and furthermore enables the complete call process from dial-up to hang-up to be dedicated to automated fulfilment of the user's instructions in a single short burst connection the duration of which can be optimized by the transporter-related functions described herein. This efficiency is in contrast to a typical online session where the connection can remain open, running up time charges, while the user reads and thinks about each page retrieved (or is interrupted or performs other tasks), and long after data transfer has ceased, unless the user alertly disconnects. It is typical for such "think" time to be 10-20 times greater than the actual communication time. In addition, the compression and object packaging or bundling features of the transporter can enable still greater efficiency in communications as compared with conventional Internet or other online access, which typically retrieves uncompressed pages or messages, one at a time by enabling compressed data transport to be implemented transparently to the user.

E-mail Retrieval

In a simple example, new e-mail may be retrieved and browsed while still online, with a meter running, whereas retrieved new mail could be browsed just as effectively off-line. Employing
5 the inventive transporter, with suitable adaptations at the host server, the user can fetch a manifest of new mail, edit the manifest, if desired, fetch the new mail and automatically disconnect or, alternatively, disconnect a first e-mail service and call up one or more other such services, in a substantially automatic manner once configured.

Similarly, the inventive transporter can be used to access bulletin boards and pull-down objects relating to particular content threads of interest to the user.

Known, special purpose e-mail readers for short burst access to specific e-mail and bulletin board systems are special-purpose modules configured to fetch only mail objects addressed to the calling user, not objects specified in a manifest, and thus are not suitable for broadcast information object distribution, or publication. Unlike the manifest employed in the present invention, any list of files attached to an e-mail does nothing to provide for further action upon receipt of the listed files nor, because it is embedded in the e-mail message, can it be employed by a user, information product, or remote server to specify files or objects to be fetched. Nor do such e-mail readers
20 comprise separable software transporter components applicable to general-purpose automated information object transport via managed dial-up connections. The ability to optimize the communications process and automatically terminate it with a disconnect for an arbitrary variety of application content, including Web browsing and searching, uniquely disposes the inventive systems to provide a novel, general purpose short burst data retrieval facility for off-line users as described
25 herein, which is quite different from the limited dedicated functionality of e-mail readers.

Short burst connectivity can simulate an online environment by coupling a transporter with one or more hyperlinks, hot buttons or menu selectors enabling a user to effect multiple or repeated

data retrieval operations in short bursts from one or more remote sources, by clicking on links and hot buttons while they browse. In special cases, where a dial-up source for the destination information object of the hyperlink is known to be available, a translation or readdressing module could automatically post appropriate header and other retrieval data from hyperlinks in imported content to the transporter and create a manifest for fetching the object from the dial-up source, enabling an online environment to be simulated. Such application of an intermittent, short-burst connectivity approach to browsing and searching of relatively extensive content (such as collections of Web pages) is quite distinct from conventional Web browsing and searching activities which function as a fully online, continuously interactive process. Absent the teachings herein, conventional wisdom would expect the inventive approach to be unduly static and limiting of interaction.

With present-day modems, some delay occurs in the dialing and handshake process which slows the dial-up communication process and may somewhat hinder simulation of an online environment. Advancing technology may reduce these problems increasing the usefulness of the invention. Connections via ISDN are established much faster, while connect time appears at present to be significantly more costly. Accordingly, short burst embodiments of the invention have particular application to use via ISDN networks where retrieval of cumbersome graphics, video and multimedia files may be important. The transporter can readily be adapted to offer a scheduling function providing users with an option to effect retrieval of bulky objects at an off-peak low rate or low traffic time, such as at night.

Using such short burst data retrieval, a user can interact off line, seamlessly merging retrieved data or objects with local data or objects, in a rich and varied environment which may simulate an online session, without the expense and inconvenience that sometimes accompanies extended online sessions. In many instances, for example domestic environments, freeing up a telephone line will be an important benefit, especially to teenage computer users whose parents require a single phone line to be available. These benefits of short burst communication, with minimal use of phone lines, accompanied by off line browsing, are of particular value in the case of interactive digital music

CDS, for example, as supplied under an industry standard, or agreed format, such as Music Enhanced CD. Application of the invention to this environment will be described in more detail below.

5 The short burst access characteristics of the invention may be of particular value to mobile users who often do not have suitable access to adequate communications facilities. Wireless links are relatively expensive and slow, and while improving, can be expected to remain more costly and lower in speed than wireline service. The ability to concentrate activity into short, efficient bursts, and to pre-position selected working sets of current content such as price lists and documentation in a portable system can be of great value to salesmen, field workers, and computer-using working travelers of all kinds.

10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995

It will be apparent that applications of short-burst, intermittent connection can be extended to provide broad support for content searching, and for efficient packaging and transmission of the resulting content, as well as for transaction processing in general, as referenced above, for example by automating and managing communication with a remote search engine. In doing so, the implementation details of the transporter functions and interfaces would preferably be tuned and adapted as appropriate to efficiently and effectively serve the particular purposes addressed by various useful sub-classes of applications, as will be understood by one skilled in the art from the teachings herein.

Transaction processing

25 As described in the parent application, the invention provides a flexible vehicle for transaction processing in many different ways via both real time gateway connections and non-real time store-and-forward linkages. Such transactions can be EDI-compliant, or use other remote-ordering protocols for real or de facto standards including HTML forms and Sun Systems JAVA (trademark) applets, and gain the benefits of short-burst communication optimized for reduced

communication time. In this manner the benefits of the inventive transporter can be obtained in a way that interworks with and applies useful portions of transaction control, user interface and security software infrastructure that may be available for use at the user and transaction server ends of the transaction chain.

5

Moving web packages in or with a transporter, both as described pursuant to the invention, creates what may be termed a "web package shuttle". With the short-session and simple connection advantages the invention provides, a powerful general purpose transaction processing capability is enabled having advantages similar to those described for information transport. Such a transaction processing mechanism can adopt any other relevant aspects of the invention described herein including intermittent or short burst repeated connections, gatewaying between a vendor or sponsor's server or a special purpose server and a Web server or Internet point of access so long as HTML form-based transactions, or their equivalent, are supported. Store and forward is also useful in this context so that many transactions can be collected on a special-purpose server for later processing elsewhere.

Interactive Music Products

The Music CD Extra format is a standard supported by Microsoft, Sony, Philips and other industry leaders for a class of high quality recorded audio products distributed on CD with CD-ROM compatible user, multimedia-capable interactivity, enabling users to enhance the music experience (stored in ANSI standard CD audio "red book" format, playable on standard CD audio players) with suitable ancillary content such as liner notes, pictures, video clips, artist data, lyrics, discography, concert schedules, fan club information and so on (encoded in CD-ROM compatible ANSI standard "yellow book" format, playable on standard CD-ROM players).

Variant combined formats have seen limited use, and all of these are collectively referred to as Enhanced CDS. Comparable standards and formats promoting interactive environments for

recorded products may be expected for other media and products, for example video products and DVDs, as well as High Density CD, the DVD-based follow-on format for CD audio and CD-ROM.

Such interactive music products may also include online links to the Web or other online services. However, to the inventor's knowledge and belief available products provide or require traditional open-ended online sessions with their associated drawbacks.

The invention provides a novel interactive recorded music product comprising, stored on distributable physical media, a music recording and an information transporter as described herein, coded for automated communication with a pre-specified remote content source, particularly, but not exclusively, a digital music CD, which preferably also includes supplemental interactive capability relevant to the music recording.

Typically, the remote content comprises ancillary content as described above. The remote source preferably comprises a server maintained on behalf of a vendor or sponsor of the music product accessed by direct dial to a number stored or retrievable via a number stored, by or for, the transporter. In a preferred embodiment, a commercial vendor or supplier of the music product maintains a server with ancillary content of interest to purchasers of the music product and preinstalls the transporter with an 800 or ordinary phone number providing automated access to that server. Either in the original product or in an object automatically fetched by the transporter, a content list of available choices can be provided, enabling the user to select desired objects to be fetched. When the selected object or objects has been satisfactorily retrieved, the transporter or an associated user interface, either terminates communications or gives the user the option to transport another object to or from the remote source.

Alternatively to direct dial access to a vendor-maintained remote server, the transporter can be coded to access the Web or equivalent online network, via an access provider, to retrieve one or more specified information objects from the Web using an URL, and to terminate the online session

after receipt of the specified objects. If desired after retrieval of an object via the online network, confirmation, or other data can be returned to a predesignated server via direct dial to that server, bypassing the online network.

5 A music industry application of the invention can thus embody the inventive offline browser system described above, as a music supplementer system, particularly adapted to the requirements of Music CD Extra and Music Enhanced C D formats providing useful benefits to users lacking online subscriptions.

10 The music supplementer system ("MSS" herein) can comprise an offline browser system with direct-dial support, a local browser-viewer module with HTML Web page viewing functionality, and preferably with a base set of content elements in HTML format with optional selections of standard Web content or other material for example Adobe's ACROBAT (trademark) or other viewers. The base content elements can conform to an enabling specification appropriate to the MSS and can include any desired content, for example, a basic home page, a tour schedule page, a multi-media download page, a fan club page, a merchandise page, a news page and an artists or other artists page. Preferably, any links on these pages are edited, modified or managed for local execution as described herein. Such pages can be functionally modified versions of online available Web pages, as described above. Key functions can be controlled and customized using HTML pages, or in other appropriate ways, while the invocation of control functions can be done by intercepting links employing a helper application, or via API or viewer customization or other means as described hereinabove.

20 Various special- purpose useful links can be provided, for example, a "Get Update" link in a home page that refreshes base content by retrieval from a remote source and provides specified optional elements.

Links to optional items for download can trigger transporter functions, as described, to fetch

the optional item object if it is not present locally or can simply invoke the object, or a viewer for the object, if it is present locally. Such objects could, for example, include audio or video samples.

Transaction pages, simulating actual Web pages, if desired, can be provided to trigger sends to a remote server to enable joining a fan club, or ordering merchandise, or other user-initiated transaction. Simple transporter send functions can be used for information submission, such as product registrations, and server response and gateway functions can be employed when a response or confirmation is needed.

A user control facility to edit a fetch and send list for the transporter activatable from any desired page can also be provided.

A client system content control component or function, to be implemented at the user's station, to track the presence and status of information objects on the user's storage facilities, including any CD-ROM and hard disk can be provided to control link execution and editing, along with a link manager, as described.

Online Network Charging Mechanism

A drawback of a distributed online network, such as the Internet, which lacks central administration is the difficulty of implementing convenient charging mechanisms. Telephone networks provide a number of charging options, notably, caller-paid charges, collect calls which reverse charges to the called party, subject to the called party's selective approval; sponsor-paid 800- and 888- calls where all calls are paid by the called party; and caller-paid 900- calls which provide for revenue splitting between the telephone company and the called party.

Such services are not generally available on the Internet. Credit cards are now being widely used on the Internet, although some people have lingering security concerns. However, though useful

for major purchases, credit cards are not suitable for small time-related charges and do not offer a medium enabling sponsors to provide free access. Standard Internet charging methods require establishment of a subscription with an access provider such as one of the major online services, for example CompuServe and America Online, or with one of the specialized Internet service providers, and generally include usage (time) related charges (either explicitly or implicitly). This approach has the drawbacks described above for casual, first-time and occasional users and limits the marketing uses of the Internet.

Networks managed by centralized service providers for example SPRINTNET or BT TYMNET (trademarks), offer systems enabling such networks to simulate some telephone network charging capabilities. Thus the X.25 standard for packet switching networks provides reverse charging options and a call-negotiation process that determines whether a called server or host will accept collect calls. A caller or user must supply a billed account ID and password for caller paid charges or may be furnished with a special reverse-charge account ID and password.

X.75 standards permit call negotiation and reverse charging mechanisms to be applied across interconnections between individual X 25 networks , allowing some global coordination. Internet protocols do not provide for such call negotiation and charging management. The packet-switched X.25 model does not appear to solve the problem of overcoming the access providers charges and formalities that impede novices and casual users and prevent true, casual sponsor-paid access by any modem-equipped computer user to the sponsor's Internet site, because it is specific to the X.25 protocol and no provision for an equivalent capability is provided for in the Internet protocol.

To solve these and other problems, the invention provides an Internet charging mechanism, including computer-implemented enabling software, in the form of a charge-management module to be applied as a higher level protocol above the enabling online network protocol such for example as the Internet TCP/IP protocols. The charge-management module preferably comprises user, server and access point components operated at the nodes or points of access to identify collect and other

calls at each access point, to provide session-negotiation functions and to determine if a called server will accept charges before a call is completed. Hosts that accept collect calls can have an option of selectively controlling access to specific account IDs.

5 User components of the charge management module preferably include a user interface button or other selection requesting sponsored access to a resource and which is effective to activate the charge management mechanism on the network, or such requests could be an automatic default, or implied by the URL specified. The access point module can collect usage data for calls made via the access point operator and generate bills and call details for the sponsor. The sponsor or server component screens and authorizes or rejects call requests received from the access point. The details of this process could be specific to a single ISP to work among users and servers directly connected to its network only, but preferably a common coordinating mechanism analogous to X.75 could be used by a large number of cooperating ISPs.

900 - number equivalent revenue-collecting functionality can be provided by means of a billing gateway server established to manage session setup for revenue-generating calls using specially charged account IDs. The billing servers can allocate a caller's account and credit status, identify the pricing algorithms to be applied for the called server, and maintain an activity record for end-user billing.

20

Such increased flexibility in charging can enhance and facilitate widespread use of the Internet for both short-burst connectivity applications and for fully online applications. Coupled with the capabilities of the inventive transporter, such novel charging mechanisms can enable new Internet (or other online network) market services such, for example, as allowing non-subscribing
25 users to obtain free sponsored service, or to obtain service-for-fee on a discrete, ad-hoc, time-of-need basis.

Intermittent Web Searching

Searching of the Web, or Internet, or other adequately standardized wide area network replete with data sources, can be understood and accomplished using the transporter as a special case of transaction handling, using similar mechanisms to those described above for transaction handling. Thus, a search request is simply a send transaction to a search engine, which responds with a fetch object (also referenced as a "response object" in the parent application) comprising a result list or hit list of objects found to match the search, which is then returned to the user, at which time a disconnection can be made. This result can then be used as normal hyperlinked content to obtain the actual target objects in a subsequent request, or a revised search transaction can be submitted. In a similar manner to what was described in relation to browsing, the effect of an ongoing interactive session for searching and transactions can be simulated by a series of short burst transporter-implemented connections .

This intermittent mode of searching can be further exploited using techniques such as those described in the parent application for combining indexes or other content into a single seamless search. As described, an index (or content set) on CD-ROM could be supplemented by an updated supplementary index (or content set) that had been subsequently retrieved to hard disk. It will be apparent that the searching-as-transaction approach can be used in the same way to supplement information already retrieved. For example, a search of content on CD (and hard disk) which is current as of a given date can be supplemented by a search transaction requesting the same search, and additionally specifying that the results be limited to content with a date more recent than that given date. In this way, only the new items not already present would be retrieved, for optimum efficiency in search and transmission time. The result can then be merged with the local results to produce a fully current, complete result (again sorted in whatever order is desired). This approach permits very significant benefits, for example in the case of the searching of general purpose Internet indexes such as YAHOO or LYCOS (trademarks), where repeated identical searches may be done weeks or months apart, with redundancy in all but the most recent results, only the incremental

content need actually be obtained and transmitted. Since much Internet activity consist of just such searches, the processing and communications cost savings are potentially very sizeable. Widespread adoption of such connect-time optimized search techniques could even help economize on Internet traffic.

5

Back Channel for Interactive Systems

A further valuable application of the information object transporter of the invention is to enable a novel interactive communications system by providing back-channel communications via dial-up connections from a population of users to a broadcaster distributing analog or digital material over a one-way primary channel, such as TV air, cable or satellite or data subchannels. Employing a configuration as described in Level 1, this is primarily a send application, where users send objects such as a customer service responses, video program requests, or the like back to the broadcaster, or a vendor coupled to the broadcaster, by dial-up, or equivalent, over a telephone or equivalent point-to-point network.

Optionally, the inventive transporter may be used to fetch objects communicated over the primary broadcast channel. In this case the active request for a fetch object in the manifest could be effected in various ways depending on the nature of the network and the request. If the request were for a standard object scheduled for transmittal via the primary broadcast channel, the transporter would simply request of the local broadcast interface that the object be provided when received. Custom broadcast transmissions could be first requested via a send through the back channel as described above. It will be understood that fetched objects may be transmitted over either channel, with the best choice depending on the characteristics of the network (including any local station addressability characteristics), the content, and the traffic patterns.

Web Publishing

Prior to the date of this application, the concept of publishing on the Web has become a commonplace. Publication is achieved simply by posting a Web page or pages at a Web site where any Web user is free to examine the posting. In addition, it may be assumed that one or more search engines will eventually locate the content, leading interested browsers to the site, and links leading from other Web sites may be set up. Unlike publication in the more commonly understood sense of mass distribution of copies of a document or other work, Web publication is passive in nature: a single copy of the work, assembled according to Web standards, is posted for browsers to read and copy, rather like a document in a library.

Thus, a would-be Web publisher merely has to prepare their content and post it to a suitable site. Since Web sites are computer servers located remotely from the ordinary user or browser, and an ordinary user may have difficulties in mastering the complexities of transmitting files to such a server, it will be apparent that the inventive transporter provides an excellent means of facilitating the transport of documents or other objects from their would-be publishers with local, modem-equipped computer stations, to a Web server via direct dial up connection, using any appropriate ones of the tools and architectures described herein. Equally, the transporter can be used to shuttle acknowledgment and other publication confirmation details back to the originating user. In such an application users will typically have basic Internet connectivity, and this will preferably be employed by the transporter. A benefit of using the transporter is simplification of the transaction for both the user and the service provider.

Thus the transporter can provide an automatic upload including connection, interaction with a user interface to enable selection of files for Web publication; execute a send to load the content to a Web server, a logically distinct server which may be accessed via a distribution server, as described herein, and, if desired, submitted to a search engine via a gateway connection, also as described.

New or improved electronic information products are made possible by the novel information transporter disclosed herein, for example, CD-ROM-based products updated from online services, updatable periodical magazine collections, catalog-based computer shopping with order entry and optionally, order confirmation.

5

Recently Contemplated CD-ROM Products Updatable from Online Services

A CD-ROM-based product with online service updatability called "**MICROSOFT Complete Baseball**" (MICROSOFT is a trademark) was announced by Microsoft Corporation apparently on March 1, 1994, with a June 15, 1994 availability date. A product brochure received by the present inventor on April 26 describes a multimedia history of baseball which can be updated with daily scores from an online service, by modem. Nothing in the sales materials suggests any separable information transport components marketable for use with other information products.

In late April 1994, CompuServe® (trademark) online information service announced plans for a CD-ROM information product to be used in conjunction with its online service. The CompuServe® CD-ROM information product online service is usable only with that service, and requires users of its online component to be CompuServe® member/subscribers, on terms such as described above, which terms restrict the CD-ROM product's marketability. The CD-ROM content and user interface is limited to that provided by CompuServe®. Accordingly, such a dedicated CD-ROM service is not a satisfactory solution to independent publishers looking for economical update means, because they will be limited to whatever user interface and data management flexibility the online vendor may provide which will substantially restrict any creative look-and-feel identity the publisher may have provided in their own product. Thus the CD-ROM product is described by CompuServe® in the statement: "It is, essentially, a new window on CompuServe..." This product description does not suggest an ability to obtain updated online information for integrated local, offline use with an original information product stored on the CD-ROM, as is provided by the present invention.

In addition to CD-ROM-based products, various new information distribution methods and services are made possible by embodiments of the present invention. The object source can be a remote server equipped with a cooperative communications module closely molded to work effortlessly with the information transporter for distributing objects to a wide base of users. Such a remote server can be linked to a vendor or gatewayed to other information object sources or electronic publishers, and exploit its smooth and efficient information transport capabilities to act as a distribution point for such vendors, sources or publishers.

Thus, the invention further comprises such a special-purpose server designed for use with the novel information transporter and the special-purpose server can be established as a distribution service for publishers who incorporate the information transporter in their products. The invention also provides a method of operating a server to provide such a software service and server-enabling software.

While an illustrative embodiment of the invention has been described above, it is, of course, understood that various modifications will be apparent to those of ordinary skill in the art. Such modifications are within the spirit and scope of the invention, which is limited and defined only by the appended claims.